

| | | |
|--|--|---|
| <div>+</div> <div>SEAR-970</div> <hr/> <div>ADMIN PREVIOUS SEARCHES TIMES OUT AFTER 15 SECONDS</div> | <div>+</div> <div>SEAR-848</div> <hr/> <div>CURRENCY OPTION CONTAINS ALL CURRENCIES SET UP IN JUICE</div> | <div>+</div> <div>SEAR-931</div> <hr/> <div>CS: MAKE SURE THE ENRICH- MENT API IS FULLY WORKING WITHOUT CRASHES</div> |
| <div>SEAR-970</div> <div>12</div> <div>+</div> | <div>SEAR-848</div> <div>12</div> <div>+</div> | <div>SEAR-931</div> <div>12</div> <div>+</div> |
| <div>+</div> <div>SEAR-964</div> <hr/> <div>SET UP SEARCH 2 DEV ENV FOR APP SUPPORT PEEPS</div> | <div>+</div> <div>SEAR-963</div> <hr/> <div>TAKE 'ADCOURIER V5 (SET- TING ID = 222)' INTO AC- COUNT TO REPLACE THE CUR- RENT CSS BY THE NEW SKIN ONE</div> | <div>+</div> <div>SEAR-939</div> <hr/> <div>CANDIDATESEARCH: MULTI SELECT FACET SHOULD BE OR BUT APPEAR TO BE AND</div> |
| <div>SEAR-964</div> <div>12</div> <div>+</div> | <div>SEAR-963</div> <div>12</div> <div>+</div> | <div>SEAR-939</div> <div>12</div> <div>+</div> |

The diagram illustrates a network of three rows of nodes, each representing a different SEAR (Search Engine Architecture Research) project. The nodes are interconnected by lines, and each node has a small '+' sign next to it.

Top Row:

- SEAR-967**: IMPLEMENT SOME SIGNING OF THE UNSUSBSCRIBE URLS
- SEAR-450**: USER CAN "SHARE" SEARCH CRITERIA
- SEAR-968**: NOTIFY SPAMMING RECRUITERS WHEN A CANDIDATE UNSUBSCRIBES

Middle Row:

- SEAR-966**: RIPPLE, BGT TYPE XML GENERATION IS BROKEN.
- SEAR-919**: DISPLAY A NICE MESSAGE WHEN YOU ARE TRYING TO BECOME A USER THAT YOU ARE NOT AUTHORIZED TOO
- SEAR-727**: THROTTLE POSTING ENGINE WORK

Bottom Row:

- SEAR-966**: RIPPLE, BGT TYPE XML GENERATION IS BROKEN.
- SEAR-919**: DISPLAY A NICE MESSAGE WHEN YOU ARE TRYING TO BECOME A USER THAT YOU ARE NOT AUTHORIZED TOO
- SEAR-727**: THROTTLE POSTING ENGINE WORK

The nodes are connected by lines, and each node has a small '+' sign next to it.

| SEAR-969 | SEAR-949 | SEAR-975 |
|-----------------------------------|------------------------|--|
| CINZ GETS A MONTHLY SEARCH REPORT | LINKEDIN API UPDATE | BULK ACTIONS ARE ASYN-CHRONOUS |
| SEAR-969 12 | SEAR-949 12 | SEAR-975 12 |
| SEAR-974 | SEAR-740 | SEAR-965 |
| INVESTIGATE REED EMAIL ADDRESS | RECRUITMENT EDGE OAUTH | TRAIN APP SUPPORT PEEPS ON SEARCH 2 FOR HANDOVER |
| SEAR-974 12 | SEAR-740 12 | SEAR-965 12 |

| | | | | | | |
|---|---|---|--|---|------------------------------------|---|
| + | | + | | + | | + |
| | SEAR-486 | | | | SEAR-537 | |
| | <hr/> | | | | <hr/> | |
| | PAGE SHOULD NOT JUMP WHEN MULTISELECTING | | | | PREPARE 1 PAGE "RECOVERY SHEET" | |

| | | | | | | |
|---|----------|----|--|----------|----|---|
| | SEAR-486 | 12 | | SEAR-537 | 12 | |
| + | | + | | + | | + |

| | | | | | | |
|---|--|---|--|---|-----------------------------------|---|
| + | | + | | + | | + |
| | SEAR-530 | | | | SEAR-572 | |
| | <hr/> | | | | <hr/> | |
| | JUICEAPI SERVICE TO LOG IN /VAR/LOG/BROADBEAN/JUICEAPI.LOG0 | | | | MAKE LOCATION API STAN- DALONE | |

| | | | | | | |
|---|----------|----|--|----------|----|---|
| | SEAR-530 | 12 | | SEAR-572 | 12 | |
| + | | + | | + | | + |