

The `scripture` package

David Purton*

2023/12/27 v2.0

Abstract

The `scripture` package provides a set of macros for typesetting quotations from the Bible. It provides many features commonly seen in Bibles such as dropped text for chapter numbers, superscripts for verse numbers, indented lines for poetry sections, narrow sections and hanging paragraphs. A reference for the quotation can optionally be added.

Contents

1	Introduction	2
1.1	Bug reports and feature requests	2
1.2	Limitations	2
2	Documentation	3
2.1	Basic usage	3
2.2	Macros for typesetting scripture quotations	3
2.2.1	Functions	3
2.2.2	Environments	7
2.3	Provided hooks	10
2.4	Options	11
2.4.1	Options for the <code>center</code> environment	18
2.4.2	Options for the <code>flushright</code> environment	19
2.4.3	Options for the <code>hanging</code> environment	19
2.4.4	Options for the <code>midparachap</code> environment	20
2.4.5	Options for the <code>narrow</code> environment	20
2.4.6	Options for the <code>poetry</code> environment	21

*Email: dcpurton@marshwiggles.net

3	Implementation	22
3.1	Messages	22
3.2	Options	23
3.3	Hooks	29
3.4	The main <code>scripture</code> environment	29
3.4.1	Formatting and printing quotation references	31
3.4.2	Red lettering	32
3.4.3	Selecting language	33
3.4.4	Formatting and printing chapter numbers	34
3.4.5	Formatting and printing verse numbers	37
3.4.6	Calculating the length of the final line in a paragraph	38
3.4.7	The <code>scripture</code> environment	39
3.5	Scripture internal environments	43
3.5.1	The <code>center</code> environment	43
3.5.2	The <code>flushright</code> environment	44
3.5.3	The <code>hanging</code> environment	45
3.5.4	The <code>midparachap</code> environment	48
3.5.5	The <code>narrow</code> environment	52
3.5.6	The <code>poetry</code> environment	53
3.6	Public L ^A T _E X Interface	61
	Change History	64
	Index	65

1 Introduction

Bibles tend to use a number of standard features when laying out chapters and verses. The main goal for the `scripture` package is to be able to quickly and easily input text and have it output nicely with minimal manual adjustment.

The package supports dropped text for chapter numbers, superscripts for verse numbers, appropriately indented lines for the first and second halves of poetry, flush right sections, centred sections, narrow sections and hanging sections.

The package could be used for typesetting an entire Bible, but it is mainly envisioned that it will be used for producing Scripture quotations. The passage reference can be included on the last line if there is space or failing that on the following line.

1.1 Bug reports and feature requests

Bug reports and feature requests can be made at the `scripture` package GitHub repository. See <https://github.com/dcpurton/scripture>.

1.2 Limitations

The `scripture` package makes extensive use of L^AT_EX `list` environments and the `\parshape` command. This means there are some limitations. In particular, you should not:

- Nest the `scripture` environment or any of its internal environments.
- Modify the `\parshape` within a `scripture` environment.
- Include any other `list` based environment within a `scripture` environment.

The `poetry` environment uses `\obeylines`. This means that it can not be placed in the argument of a macro.

Some attempt is made to encourage appropriate page breaks, especially just before a reference is added to a quotation, but this can still sometimes fail and a reference will end up on the following page. Usually a little more stretchable space on the page before the incorrect break is enough to obtain acceptable output.

At least version 2022-11-01 of the L^AT_EX format is required.

2 Documentation

2.1 Basic usage

Scripture quotations must be set within a `scripture` environment. A simple quotation might be produced as follows:

```
\begin{scripture}[Isaiah 56:1--2][version=NIVUK]
\ch{56}This is what the \name{Lord} says:
\begin{poetry}
'Maintain justice
and do what is right,

for my salvation is close at hand
and my righteousness will soon be revealed.

\vs{2}Blessed is the one who does this---
the person who holds it fast,

who keeps the Sabbath without desecrating it,
and keeps their hands from doing any evil.'
\end{poetry}
\end{scripture}
```

56 This is what the LORD says:
'Maintain justice
and do what is right,
for my salvation is close at hand
and my righteousness will soon
be revealed.
²Blessed is the one who does this—
the person who holds it fast,
who keeps the Sabbath without
desecrating it,
and keeps their hands from
doing any evil.'
Isaiah 56:1–2 (NIVUK)

2.2 Macros for typesetting scripture quotations

2.2.1 Functions

`\added` `\added{<words>}`

New: 2022-11-15 Some Bible translations mark out words added for clarity not found in the original language (e.g., in italics). This can be done using the `\added` function. The font and format can be set using the `added/font` and `added/format` options.

```
\begin{scripture}[John 1:18][verse/font=\bfseries,
  verse/format=#1, verse/sep=0.5em, version=KJV]
  \vs{18}No man hath seen God at any time, the
  only begotten Son, which is in the bosom of the
  Father, he hath declared \added{him}.
\end{scripture}
```

18 No man hath seen God at any time, the only begotten Son, which is in the bosom of the Father, he hath declared *him*.

John 1:18 (KJV)

```
\ch \ch{<chapter number>}
\ch* \ch*{<chapter number>}
```

Format a chapter number. By default these are formatted using drop text taking up two lines and the text is separated from the chapter number by a horizontal space of 0.5 em.

If the `dropchap` option is `true` (default), then this function attempts to add sufficient space for the dropped chapter when its paragraph contains only one line. The starred version suppresses this behaviour.

`\ch example`

```
\begin{scripture}[Exodus 20:1--2]
  \ch{20}And God spoke all these words:
  \begin{hanging}
    \noindent\vs{2}'I am the \name{Lord}
    your God, who brought you out of Egypt,
    out of the land of slavery.
  \end{hanging}
\end{scripture}
```

`\ch* example`

```
\begin{scripture}[Exodus 20:1--2]
  \ch*{20}And God spoke all these words:
  \begin{hanging}
    \nohang\vs{2}'I am the \name{Lord} your
    God, who brought you out of Egypt, out of
    the land of slavery.
  \end{hanging}
\end{scripture}
```

`\ch example`

20 And God spoke all these words:
²I am the LORD your God, who brought you out of Egypt, out of the land of slavery.
Exodus 20:1–2

`\ch* example`

20 And God spoke all these words:
²I am the LORD your God, who brought you out of Egypt, out of the land of slavery.
Exodus 20:1–2

```
\extraskip \extraskip
```

Add a small vertical space of `extraskip` between a paragraph. This function attempts to add additional space to avoid a clash with a drop chapter if required.

```
\begin{scripture}[Colossians 1:2]
  \vs{2}To God's holy people in Colossae, the
  faithful brothers and sisters in Christ:

  \extraskip

  Grace and peace to you from God our Father.
\end{scripture}
```

²To God's holy people in Colossae, the faithful brothers and sisters in Christ:

Grace and peace to you from God our Father. **Colossians 1:2**

<code>\name</code>	<code>\name{<divine name>}</code>
<code>\LORD</code>	<code>\LORD</code>
<code>\GOD</code>	<code>\GOD</code>

New: 2022-09-01
 Modern Bible translations frequently represent God’s personal divine name using a small capitals typeface. This can be done using the `\name` function. The font and format can be set using the `name/font` and `name/format` options. The `\LORD` and `\GOD` macros equivalent to `\name{Lord}` and `\name{God}` respectively.

Note: Watch out that trailing spaces are not eaten by `\LORD` and `\GOD`. Using `\name` is safer and semantically better.

```
\begin{scripture}[Genesis 15:1--2][version=ESV]
\ch{15}After these things the word of the
\name{Lord} came to Abram in a vision: “Fear
not, Abram, I am your shield; your reward shall
be very great.” \vs{2}But Abram said, “O Lord
\name{God}, what will you give me, for I
continue childless, and the heir of my house is
Eliezer of Damascus?”
\end{scripture}
```

15 After these things the word of the LORD came to Abram in a vision: “Fear not, Abram, I am your shield; your reward shall be very great.” ²But Abram said, “O Lord GOD, what will you give me, for I continue childless, and the heir of my house is Eliezer of Damascus?”
Genesis 15:1–2 (ESV)

<code>\nofirstverse</code>	<code>\nofirstverse</code>
----------------------------	----------------------------

New: 2022-11-13
 When `verse/first` is true, this causes the next `\vs` to print normally, rather than using the format specified by `verse/firstformat`. You might do this if your quote begins half way through a paragraph and the first verse should be printed normally.

<code>\nohang</code>	<code>\nohang</code>
----------------------	----------------------

In a hanging environment, this function indents the first line of the paragraph a length of `hanging/hang + parindent`. Remaining lines continue to be indented by a length of `hanging/hang`.

```
\begin{scripture}[Genesis 1:10--11]
\begin{hanging}
\noindent\vs{10}God called the dry ground
‘land’, and the gathered waters he called
‘seas’. And God saw that it was good.

\nohang\vs{11}Then God said, ‘Let the land
produce vegetation: seed-bearing plants and
trees on the land that bear fruit with seed
in it, according to their various kinds.’
And it was so.
\end{hanging}
\end{scripture}
```

¹⁰God called the dry ground ‘land’, and the gathered waters he called ‘seas’. And God saw that it was good.
¹¹Then God said, ‘Let the land produce vegetation: seed-bearing plants and trees on the land that bear fruit with seed in it, according to their various kinds.’ And it was so.
Genesis 1:10–11

`\redletteron` `\redletteron`
`\redletteroff` `\redletteroff`

New: 2022-08-31

Use `\redletteron` and `\redletteroff` to mark the beginning and end of sections of text that should be attributed to Jesus speaking. Some attempt is made to ensure that the correct colour continues after an inner environment if `\redletteron` or `\redletteroff` occurs inside the inner environment. If you experience problems with unexpected colour, try to ensure that matching `\redletteron` and `\redletteroff` marks occur at the same group level. The colour of the text can be set using the `redletter/colour` option. These commands only have an effect when the `redletter` option is `true`.

```
\begin{scripture}[Matthew 21:16--17][redletter]
  \vs{16}‘Do you hear what these children are saying?’
  they asked him.

  \redletteron ‘Yes,’ \redletteroff replied Jesus,
  \redletteron ‘have you
  never read,
  \begin{poetry}
    \thinspace ‘‘From the lips of children and infants
    you, Lord, have called forth your praise’’?’’
  \end{poetry}\redletteroff

  \vs{17}And he left them and went out of the city to
  Bethany, where he spent the night.
\end{scripture}
```

¹⁶‘Do you hear what these children are saying?’ they asked him.
‘Yes,’ replied Jesus, ‘have you never read,
‘‘From the lips of children and infants you, Lord, have called forth your praise’’?’
¹⁷And he left them and went out of the city to Bethany, where he spent the night.
Matthew 21:16–17

`\scripturecurrentchapter` `\scripturecurrentchapter`
`\scripturecurrentverse` `\scripturecurrentverse`

New: 2022-08-27

`\scripturecurrentchapter` and `\scripturecurrentverse` globally hold the most recent values parsed to `\ch` and `\vs`. They can be initialised with `\renewcommand*` if required and could be used in hooks, for example.

`\scripturesetup` `\scripturesetup{<options>}`

Set default format for quotations. See section 2.4 for supported formatting `<options>`.

`\scripturestyle` `\scripturestyle{<name>}{<options>}`
`\scripturestyle*` `\scripturestyle*{<name>}{<options>}`

New: 2023-12-27

Set `<options>` which are saved as style with `<name>`. These can later be set with the `style` option. The starred version appends `<options>` to an existing style rather than overwriting all options.

`\selah` `\selah`

New: 2022-07-29

In a `poetry` environment, this function inserts *Selah* at the end of the current line or the end of the following line if there is insufficient room. See options `selah/font`, `selah/format`, `selah/sep` and `selah/text` for options controlling the output.

```

\begin{scripture}[Psalm 3:2][version=NIV84]
\begin{poetry}
\vs{2}Many are saying of me,
“God will not deliver him.”\selah
\end{poetry}
\end{scripture}

```

²Many are saying of me,
“God will not deliver him.”
Selah
Psalm 3:2 (NIV84)

`\textright` `\textright{<text>}`

New: 2022-08-30 This function inserts `<text>` at the end of the current line or the end of the following line if there is insufficient room. The `\textright/sep` option controls the minimum allowed space before the `<text>` to be right aligned.

```

\begin{scripture}[Jeremiah 2:29]
\begin{poetry}
\vs{5}‘Why do you bring charges against me?
You have all rebelled against me,’
\textright{declares the \name{Lord}.}
\end{poetry}
\end{scripture}

```

⁵‘Why do you bring charges against me?
You have all rebelled against me,’
declares the LORD.
Jeremiah 2:29

`\textscripture` `\textscripture[<reference>][<options>]{<quotation>}`

New: 2023-01-07 `\textscripture` sets an inline scripture quotation. The quotation is surrounded by the values of `\inline/begin` and `\inline/end` which default to ‘‘\, and \,’’, respectively. This function also sets the `compact` option and places the `reference` inline. The reference format can be controlled using the following options:

- `inline/reference/format`
- `inline/reference/sep`
- `inline/version/delim`
- `inline/version/format`

Other `reference` and `version` options are inherited.

This function is equivalent to using the `scripture` environment with the `inline` option.

Warning: `\par` is redefined to `\relax` inside the `\textscripture` function. If you have anything other than expected macros and environments inside your `\textscripture` function \TeX will likely get stuck in an infinite loop.

A famous verse in the Bible is:
`\textscripture[John 3:16][verse/hide]{\vs{16}For God so loved the world that he gave his one and only Son, that whoever believes in him shall not perish but have eternal life.}`.

A famous verse in the Bible is: “For God so loved the world that he gave his one and only Son, that whoever believes in him shall not perish but have eternal life.” (**John 3:16**).

`\vs` `\vs{<verse number>}`

Format a verse number. By default these are formatted using a superscript.

2.2.2 Environments

All scripture quotations must be set within a `scripture` environment. The rest of the environments documented below are only defined with the `scripture` environment. In most cases there is a default small `<aboveskip>` and `<belowskip>` inserted above and below these internal environments, but these are ignored if the environment is at the start or end of a `scripture` environment.

`center` `\begin{center}[<options>]`
`<centred text>`
`\end{center}`

Environment for typesetting centred sections of scripture quotations.
 See section 2.4.1 for supported formatting `<options>`.

```
\begin{scripture}[Daniel 5:25]
  \vs{25}'This is the inscription that was
  written:
  \begin{center}
    \textsc{mene, mene, tekel, parsin}
  \end{center}
\end{scripture}
```

²⁵‘This is the inscription that was written:
 MENE, MENE, TEKEL, PARSIN
Daniel 5:25

`flushright` `\begin{flushright}[<options>]`
`<right aligned text>`
`\end{flushright}`

Environment for typesetting right aligned sections of scripture quotations.
 See section 2.4.2 for supported formatting `<options>`.

```
\begin{scripture}[Isaiah 40:5]
  \begin{poetry}[belowskip = Opt]
    \vs{5}And the glory of the \name{Lord}\ldots
    and all people will see it together.
  \end{poetry}

  \begin{flushright}[aboveskip = Opt]
    For the mouth of the \name{Lord} \\\
    has spoken.'
  \end{flushright}
\end{scripture}
```

⁵And the glory of the LORD...
 and all people will see it together.
 For the mouth of the LORD
 has spoken.'
Isaiah 40:5

```

hanging \begin{hanging}[(options)]
           <hanging text>
           \end{hanging}

```

Environment for typesetting hanging sections of scripture quotations.
 See section 2.4.3 for supported formatting (options).

<pre> \begin{scripture}[Genesis 1:3--5] \begin{hanging} \vs{3}And God said, 'Let there be light,' and there was light. \vs{4}God saw that the light was good, and he separated the light from the darkness. \vs{5}God called the light 'day', and the darkness he called 'night'. And there was evening, and there was morn\ing---the first day. \end{hanging} \end{scripture} </pre>	<p>³And God said, 'Let there be light,' and there was light. ⁴God saw that the light was good, and he separated the light from the darkness. ⁵God called the light 'day', and the darkness he called 'night'. And there was evening, and there was morning—the first day.</p> <p style="text-align: right;">Genesis 1:3–5</p>
---	---

```

midparachap \begin{midparachap}[(options)]
              <text containing a chapter break>
              \end{midparachap}

```

Environment for typesetting paragraph with a chapter break within it.
 See section 2.4.4 for supported formatting (options).

<pre> \begin{scripture}[1 Corinthians 10:31--11:1] \begin{midparachap} \vs{31}So whether you eat or drink or whatever you do, do it all for the glory of God. \vs{32}Do not cause anyone to stumble, whether Jews, Greeks or the church of God---\vs{33}even as I try to please everyone in every way. For I am not seeking my own good but the good of many, so that they may be saved. \ch{11}Follow my example, as I follow the example of Christ. \end{midparachap} \end{scripture} </pre>	<p>³¹So whether you eat or drink or whatever you do, do it all for the glory of God. ³²Do not cause anyone to stumble, whether Jews, Greeks or the church of God—³³even as I try to please everyone in every way. For I am not seeking my own good but the good of many, so that they may be saved. 11 Follow my example, as I follow the example of Christ.</p> <p style="text-align: right;">1 Corinthians 10:31–11:1</p>
--	--

```

narrow \begin{narrow}[(options)]
         <quotation>
         \end{narrow}

```

Environment for typesetting narrow sections of scripture quotations. If there is no blank line before the start of a narrow environment the indent will be suppressed.
 See section 2.4.5 for supported formatting (options).

```

\begin{scripture}[2 Kings 18:18--19]
  \vs{18}They called for the king; and Eliakim
  son of Hilkiah the palace administrator, Shebna
  the secretary, and Joah son of Asaph the
  recorder went out to them.

  \vs{19}The field commander said to them, ‘Tell
  Hezekiah:

  \begin{narrow}
    ‘\thinspace‘‘This is what the great king, the
    king of Assyria, says: on what are you basing
    this confidence of yours?
  \end{narrow}
\end{scripture}

```

¹⁸They called for the king; and Eliakim son of Hilkiah the palace administrator, Shebna the secretary, and Joah son of Asaph the recorder went out to them.

¹⁹The field commander said to them, ‘Tell Hezekiah:

“This is what the great king, the king of Assyria, says: on what are you basing this confidence of yours?

2 Kings 18:18–19

```

poetry \begin{poetry}[\langle options \rangle]
  \langle first half of verse \rangle
  \langle second half of verse \rangle

  \langle first half of verse \rangle
  \langle second half of verse \rangle
\end{poetry}

```

Environment for typesetting poetry sections of scripture quotations.

Poetry sections of the Bible often have a first half and a parallel second half which is indented a little. These should be set on separate consecutive lines. Leaving a blank line indicates that the next line should return to the first half indent.

See section 2.4.6 for supported formatting (*options*).

```

\begin{scripture}[Isaiah 1:2]
  \begin{poetry}
    \vs{2}Hear me, you heavens! Listen, earth!
    For the \name{Lord} has spoken:

    ‘I reared children and brought them up,
    but they have rebelled against me.
  \end{poetry}
\end{scripture}

```

²Hear me, you heavens! Listen, earth!
For the LORD has spoken:
‘I reared children and brought them up,
but they have rebelled against me. **Isaiah 1:2**

```

scripture \begin{scripture}[\langle reference \rangle][\langle options \rangle]
  \langle quotation \rangle
\end{scripture}

```

Main environment for typesetting scripture quotations.

The optional *reference* is printed at the end of the quotation. See section 2.4 for supported formatting (*options*).

```
\begin{scripture}[John 3:16][version=NIV]
\vs{16}For God so loved the world that he gave
his one and only Son, that whoever believes in
him shall not perish but have eternal life.
\end{scripture}
```

¹⁶For God so loved the world that he gave his one and only Son, that whoever believes in him shall not perish but have eternal life.
John 3:16 (NIV)

2.3 Provided hooks

`scripture/chap/before`
`scripture/chap/after`
`scripture/verse/before`
`scripture/verse/after`

The following public hooks are available:

scripture/chap/before This hook is executed immediately before the `chap/font` is set for the chapter.

New: 2022-08-07

scripture/chap/after This hook is executed immediately after the `chap/sep` space is inserted.

scripture/verse/before This hook is executed immediately before the `verse/font` is set for the verse.

scripture/chap/after This hook is executed immediately after the `verse/sep` space is inserted.

The following example illustrates how these hooks could be used to place the first and last verse on the page into the header.

```

\documentclass{article}
\usepackage{scripture}
\AddToHook{scripture/chap/after}{%
  \markboth
    {Mark \scripturecurrentchapter
     :\scripturecurrentverse}
  {Mark \scripturecurrentchapter
   :\scripturecurrentverse}}
\AddToHook{scripture/verse/after}{%
  \markboth
    {Mark \scripturecurrentchapter
     :\scripturecurrentverse}
    {Mark \scripturecurrentchapter
     :\scripturecurrentverse}}
\renewcommand*{\scripturecurrentchapter}{1}
\usepackage{fancyhdr}
\pagestyle{fancy}
\fancyhf{}
\lhead{\textbf{\rightmark}}
\rhead{\textbf{\leftmark} \textbar \ thepage}
\begin{document}
\begin{scripture}[] [noindent]
  \vs{45}Instead he went out and began to talk
  freely, spreading the news. As a result, Jesus
  could no longer enter a town openly but stayed
  outside in lonely places. Yet the people still
  came to him from everywhere.

  \extraskip

  \ch{2}A few days later, when Jesus again
  entered Capernaum, the people heard that he had
  come home.
\end{scripture}
\end{document}

```

Mark 1:45 **Mark 2:1** | 1

⁴⁵Instead he went out and began to talk freely, spreading the news. As a result, Jesus could no longer enter a town openly but stayed outside in lonely places. Yet the people still came to him from everywhere.

2 A few days later, when Jesus again entered Capernaum, the people heard that he had come home.

2.4 Options

Default formatting `<options>` can be set using `\usepackage[<options>]{scripture}` or `\scripturesetup{<options>}`. Local formatting `<options>` can be set by passing them to the various environments described above.

aboveskip `aboveskip = <skip>` Default: `Opt`
`<skip>` inserted above the `scripture` environment.

added/font `added/font = ` Default: `Empty`
New: 2022-11-15 `` used for the `\added` function.

added/format `added/format = <macro>` Default: `\emph{#1}`
New: 2022-11-15 `<macro>` used to format the words that should be highlighted as added by the translators using the `\added` function. `#1` contains the text of the argument to `\added`.

belowskip `belowskip = <skip>` Default: `Opt`
`<skip>` inserted below the `scripture` environment.

`chapter/colour` `chapter/colour = <colour expression>` Default: .
`chapter/color` The `l3color` `<colour expression>` to be used for chapter numbers. By default the current colour is inherited. `chapter/color` is an alias for `chapter/colour`.
New: 2022-09-07

`chapter/drop` `chapter/drop = <boolean>` Default: true
Whether the chapter should be set as a drop letter taking up two lines or as a normal letter taking up one line. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `chapter/nodrop`.

`chapter/font` `chapter/font = ` Default: \bfseries
`` used for the `\ch` function.

`chapter/format` `chapter/format = <macro>` Default: #1
New: 2022-07-28 `<macro>` used to format the `chapter` for a scripture quotation. `#1` contains the text of the `chapter`.

`chapter/hide` `chapter/hide = <boolean>` Default: false
New: 2022-08-15 Whether chapters should be shown or hidden. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `chapter/show`. Note that the `scripture/chap/before` and `scripture/chap/after` hooks are still executed when chapters are hidden.

```
\begin{scripture}[Romans 5:1--2][chapter/hide]
\ch{5}Therefore, since we have been justified
through faith, we have peace with God through
our Lord Jesus Christ, \vs{2}through whom we
have gained access by faith into this grace in
which we now stand. And we boast in the hope of
the glory of God.
\end{scripture}
```

¹Therefore, since we have been justified through faith, we have peace with God through our Lord Jesus Christ, ²through whom we have gained access by faith into this grace in which we now stand. And we boast in the hope of the glory of God.

Romans 5:1–2

`chapter/nodrop` `chapter/nodrop = <boolean>` Default: false
Whether the chapter should be set as a drop letter taking up two lines or as a normal letter taking up one line. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `chapter/drop`.

```
\begin{scripture}[John 1:1--3][chapter/nodrop]
\ch{1}In the beginning was the Word, and the
Word was with God, and the Word was God.
\vs{2}He was with God in the beginning.
\vs{3}Through him all things were made; without
him nothing was made that has been made.
\end{scripture}
```

1 In the beginning was the Word, and the Word was with God, and the Word was God. ²He was with God in the beginning. ³Through him all things were made; without him nothing was made that has been made.

John 1:1–3

`chapter/sep` `chapter/sep = <dimen>` Default: 0.5em
`<dimen>` used to separate a `\ch` from the following text.

`chapter/show` `chapter/show = <boolean>` Default: `true`

New: 2022-08-15 Whether chapters should be shown or hidden. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `chapter/hide`.

`chapter/showverse` `chapter/showverse = <boolean>` Default: `false`

New: 2022-11-14 Whether `\vs\{1\}` should be automatically inserted after `\ch`. The value of `<boolean>` is optional and assumed to be `true` if not present. See also `midparachap/showverse` and `midparachap/hideverse`. Note that `chapter/showverse` take precedence over `midparachap/hideverse`.

```
\begin{scripture}[John 1:1][chapter/showverse]
\ch{1}In the beginning was the Word, and the
Word was with God, and the Word was God.
\end{scripture}
```

1¹In the beginning was the Word, and the Word was with God, and the Word was God. **John 1:1**

`colour` `colour = <colour expression>` Default: `.`

`color` The `l3color` `<colour expression>` to be used for the `scripture` environment. By default the current colour is inherited. `color` is an alias for `colour`.

New: 2022-08-31

`compact` `compact = <boolean>` Default: `false`

New: 2022-08-15 This option removes all paragraph breaks along with any `\extraskip` in the quotation so the whole quotation is a single paragraph of running prose. This option implies `chapter/nodrop` and all options relating to inner environments are ignored.

The value of `<boolean>` is optional and assumed to be `true` if not present.

Warning: This option redefines `\par` to `\relax` inside the `scripture` environment. If you have anything other than expected macros and environments inside your `scripture` environment \TeX will likely get stuck in an infinite loop.

```
\begin{scripture}[Jonah 1:17--2:2a][compact]
\begin{midparachap}
\vs{17}Now the \name{Lord} provided a huge
fish to swallow Jonah, and Jonah was in the
belly of the fish three days and three
nights. \ch{2}From inside the fish Jonah
prayed to the \name{Lord} his God. \vs{2}He
said:
\end{midparachap}
\begin{poetry}
'In my distress I called to the Lord,
and he answered me.
\end{poetry}
\end{scripture}
```

¹⁷Now the LORD provided a huge fish to swallow Jonah, and Jonah was in the belly of the fish three days and three nights. **2** From inside the fish Jonah prayed to the LORD his God. ²He said: 'In my distress I called to the Lord, and he answered me. **Jonah 1:17–2:2a**

`extraskip` `extraskip = <skip>` Default: `\medskipamount`

`<skip>` used for the `\extraskip` function.

font font = $\langle font \rangle$ Default: *Empty*
 $\langle font \rangle$ used for the `scripture` environment.

inline inline = $\langle boolean \rangle$ Default: `false`
New: 2023-01-07 Set the scripture quotation inline. The quotation is surrounded by the values of `inline/begin` and `inline/end` which default to ‘‘\, and \,’’, respectively. This option also sets the `compact` option set sets the `reference` inline. The reference format can be controlled using the following options:

- `inline/reference/format`

- `inline/reference/sep`

- `inline/version/delim`

- `inline/version/format`

Other `reference` and `version` options are inherited.

Warning: `\par` is redefined to `\relax` when the `inline` option is set. If you have anything other than expected macros and environments inside your quotation \TeX will likely get stuck in an infinite loop.

inline/begin inline/begin = $\langle text \rangle$ Default: ‘‘\,
New: 2023-01-07 Text inserted at the beginning of `\textscripture` or a `scripture` environment with the `inline` option set.

inline/end inline/end = $\langle text \rangle$ Default: \,’’
New: 2023-01-07 Text inserted between the end of `\textscripture` or a `scripture` environment with the `inline` option set and the $\langle reference \rangle$ (if specified).

inline/reference/format inline/reference/format = $\langle macro \rangle$ Default: `(#1)`
New: 2023-12-27 $\langle macro \rangle$ used to format the `reference` for an inline `scripture` quotation. `#1` contains the text of the `reference` and `version` (if specified).

inline/reference/sep inline/reference/sep = $\langle dimen \rangle$ Default: `0.5em`
New: 2023-12-27 The $\langle dimen \rangle$ between the end of an inline `scripture` quotation and its `reference`.

inline/version/delim inline/version/delim = $\langle delim \rangle$ Default: `{ }`
New: 2023-12-27 $\langle delim \rangle$ to use between the `reference` and the `version` of an inline `scripture` quotation.

inline/version/format inline/version/format = $\langle macro \rangle$ Default: `#1`
New: 2023-12-27 $\langle macro \rangle$ used to format the `version` for an inline `scripture` quotation. `#1` contains the text of the `version`.

indent indent = $\langle\text{boolean}\rangle$ Default: true

Whether to indent the first line of a `scripture` environment or not by `parindent`. The value of $\langle\text{boolean}\rangle$ is optional and assumed to be `true` if not present. This option is the opposite of `noindent`.

language language = $\langle\text{language name}\rangle$ Default: *Empty*

New: 2022-11-02 `babel` or `polyglossia` $\langle\text{language name}\rangle$ to be used for the `scripture` environment. This calls `\selectlanguage{\langle\text{language name}\rangle}` at the start of the environment. Make sure you have `babel` or `polyglossia` loaded and correctly set up for your specified language. If unset the current active language is used.

language/variant language/variant = $\langle\text{language variant name}\rangle$ Default: *Empty*

New: 2022-11-02 `polyglossia` $\langle\text{language variant name}\rangle$ to be used along with the specified `language` for the `scripture` environment. This inserts `\selectlanguage[\langle\text{language variant name}\rangle]{\langle\text{language name}\rangle}` at the start of the environment. Make sure you have `polyglossia` loaded and correctly set up for your specified language.

leftmargin leftmargin = $\langle\text{dimen}\rangle$ Default: *Opt*

$\langle\text{dimen}\rangle$ used for the left margin of the `scripture` environment.

name/font name/font = $\langle\text{font}\rangle$ Default: `\scshape`

New: 2022-09-01 $\langle\text{font}\rangle$ used for the `\name` function.

name/format name/format = $\langle\text{macro}\rangle$ Default: `#1`

New: 2022-09-01 $\langle\text{macro}\rangle$ used to format the `divine` name using the `\name` function. `#1` contains the text of the argument to `\name`.

noindent noindent = $\langle\text{boolean}\rangle$ Default: *false*

Whether to indent the first line of a `scripture` environment or not by `parindent`. The value of $\langle\text{boolean}\rangle$ is optional and assumed to be `true` if not present. This option is the opposite of `indent`.

```
\begin{scripture}[1 Peter 3:18][noindent]
  \vs{18}For Christ also suffered once for sins,
  the righteous for the unrighteous, to bring you
  to God. He was put to death in the body but
  made alive in the Spirit.
\end{scripture}
```

¹⁸For Christ also suffered once for sins, the righteous for the unrighteous, to bring you to God. He was put to death in the body but made alive in the Spirit. **1 Peter 3:18**

parindent parindent = $\langle\text{dimen}\rangle$ Default: `\parindent`

$\langle\text{dimen}\rangle$ to use when indenting the first line of a paragraph in the `scripture` environment.

parskip parskip = $\langle\text{skip}\rangle$ Default: `\parskip`

$\langle\text{skip}\rangle$ to use between paragraphs in the `scripture` environment.

<hr/> redletter <hr/>	<code>redletter = \langleboolean\rangle</code>	Default: <code>false</code>
<hr/> <small>New: 2022-08-31</small> <hr/>	Whether to enable highlighting of Jesus' words in red. The value of \langle boolean \rangle is option and assumed to be <code>true</code> if not present. The text needs to be marked up with <code>\redletteron</code> and <code>\redletteroff</code> for this option to have any effect.	
<hr/> redletter/colour <hr/>	<code>redletter/colour = \langlecolour expression\rangle</code>	Default: <code>red!80!black</code>
<hr/> redletter/color <hr/>	The <code>l3color</code> \langle colour expression \rangle to be used for the words of Jesus when the <code>redletter</code> option is <code>true</code> . <code>\redletteron</code> and <code>\redletteroff</code> must be used to mark up the text. <code>redletter/color</code> is an alias for <code>redletter/colour</code> .	
<hr/> <small>New: 2022-08-31</small> <hr/>		
<hr/> reference/align <hr/>	<code>reference/align = left right</code>	Default: <code>right</code>
<hr/> <small>New: 2023-01-08</small> <hr/>	Set the alignment of the reference. Note that in neither case will the reference break across lines.	
<hr/> reference/colour <hr/>	<code>reference/colour = \langlecolour expression\rangle</code>	Default: <code>.</code>
<hr/> reference/color <hr/>	The <code>l3color</code> \langle colour expression \rangle to be used for the reference and version. By default the current colour is inherited. <code>reference/color</code> is an alias for <code>reference/colour</code> .	
<hr/> <small>New: 2022-09-07</small> <hr/>		
<hr/> reference/font <hr/>	<code>reference/font = \langlefont\rangle</code>	Default: <code>\bfseries</code>
	\langle font \rangle used when printing the reference for a scripture quotation.	
<hr/> reference/format <hr/>	<code>reference/format = \langlemacro\rangle</code>	Default: <code>#1</code>
	\langle macro \rangle used to format the reference for a scripture quotation. <code>#1</code> contains the text of the reference and version (if specified).	
<hr/> reference/newline <hr/>	<code>reference/newline</code>	
<hr/> <small>New: 2023-01-8</small> <hr/>	Always push the reference to a newline even if there is space for it to fit on the last line of the quotation. The option sets <code>reference/sep</code> to <code>\linewidth</code> so there is never room for the reference on the final line of the quotation.	
<hr/> reference/sep <hr/>	<code>reference/sep = \langledimen\rangle</code>	Default: <code>2em</code>
	The minimum \langle dimen \rangle allowed between the end of a scripture quotation and its reference before the reference is pushed to the following line.	
<hr/> rightmargin <hr/>	<code>rightmargin = \langledimen\rangle</code>	Default: <code>0pt</code>
	\langle dimen \rangle used for the right margin of the scripture environment.	
<hr/> selah/font <hr/>	<code>selah/font = \langlefont\rangle</code>	Default: <code>\itshape</code>
	\langle font \rangle used when printing <code>\selah</code> in a poetry environment.	
<hr/> selah/format <hr/>	<code>selah/format = \langlemacro\rangle</code>	Default: <code>#1</code>
	\langle macro \rangle used to format the <code>\selah</code> in a poetry environment. <code>#1</code> contains the value of <code>selah/text</code> .	

selah/sep `selah/sep = <dimen>` Default: 1em
The minimum `<dimen>` allowed between the end of a poetry line and *Selah* before the *Selah* is pushed to the following line.

selah/text `selah/text = <text>` Default: Selah
`<text>` used to for `\selah` in a poetry environment.

style `style = <name>`
New: 2023-12-27 Set options previously saved with `\scripturestyle`. An error occurs if the style isn't defined.

textright/sep `textright/sep = <dimen>` Default: 1em
New: 2022-08-30 The minimum `<dimen>` allowed between the end of a line and text aligned to the right with `\textright` before the right aligned text is pushed to the following line.

verse/colour `verse/colour = <colour expression>` Default: .
verse/color The `\color` `<colour expression>` to be used for verse numbers. By default the current colour is inherited. `verse/color` is an alias for `verse/colour`.
New: 2022-09-07

verse/first `verse/first = <boolean>` Default: false
New: 2022-11-13 In prose sections, print the verse number in a different format if it is at the start of the paragraph. The format and separation between verse and text are controlled with the `verse/firstformat` and `verse/firstsep` options. Use `\noversefirst` to suppress this at the next verse (e.g., if your quote starts mid-way though a paragraph and a normal verse should be printed). The value of `<boolean>` is optional and assumed to be true if not present.

```
\begin{scripture}[Luke 18:25--28] [noindent,
  verse/first, version=NRSV]
  \nofirstverse\vs{25}Indeed, it is easier for a
  camel to go through the eye of a needle than for
  someone who is rich to enter the kingdom of
  God.''

  \vs{26}Those who heard it said, ‘‘Then who can
  be saved?’’ \vs{27}He replied, ‘‘What is
  impossible for mortals is possible for God.’’

  \vs{28}Then Peter said, ‘‘Look, we have left our
  homes and followed you.’’
\end{scripture}
```

²⁵Indeed, it is easier for a camel to go through the eye of a needle than for someone who is rich to enter the kingdom of God.”

²⁶ Those who heard it said, “Then who can be saved?” ²⁷He replied, “What is impossible for mortals is possible for God.”

²⁸ Then Peter said, “Look, we have left our homes and followed you.”

Luke 18:25–28 (NRSV)

verse/firstformat `verse/firstformat = <macro>` Default: #1
New: 2022-11-13 `<macro>` used to format the first `\vs` in a paragraph. `#1` contains the argument of `\vs`. Only used if `verse/first` is true.

verse/firstsep `verse/firstsep = <dimen>` Default: 0.5em

New: 2022-11-13 `<dimen>` used to separate the first `\vs` in a paragraph from the following text. Only used if `verse/first` is true.

verse/font `verse/font = ` Default: *Empty*

`` used for the `\vs` function.

verse/format `verse/format = <macro>` Default: `#1`

`<macro>` used to format the `\vs` function. #1 contains the argument of `\vs`.

verse/hide `verse/hide = <boolean>` Default: `false`

New: 2022-08-15 Whether verses should be shown or hidden. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `verse/show`. Note that the `scripture/verse/before` and `scripture/verse/after` hooks are still executed when verses are hidden.

```
\begin{scripture}[Colossians 1:15--16][verse/hide]
\vs{15}The Son is the image of the invisible
God, the firstborn over all creation.
\vs{16}For in him all things were created:
things in heaven and on earth, visible and
invisible, whether thrones or powers or rulers
or authorities; all things have been created
through him and for him.
\end{scripture}
```

The Son is the image of the invisible God, the firstborn over all creation. For in him all things were created: things in heaven and on earth, visible and invisible, whether thrones or powers or rulers or authorities; all things have been created through him and for him.

Colossians 1:15–16

verse/sep `verse/sep = <dimen>` Default: 0.05em

New: 2022-07-28 `<dimen>` used to separate a `\vs` from the following text.

verse/show `verse/show = <boolean>` Default: `true`

New: 2022-08-15 Whether verses should be shown or hidden. The value of `<boolean>` is optional and assumed to be `true` if not present. This option is the opposite of `verse/hide`.

version `version = <version>` Default: *Empty*

`<version>` added to the reference for a `scripture` quotation.

version/delim `version/delim = <delim>` Default: `{ }`

`<delim>` to use between the reference and the version of a `scripture` quotation.

version/format `version/format = <macro>` Default: `(#1)`

`<macro>` used to format the `version` for a `scripture` quotation. #1 contains the text of the `version`.

2.4.1 Options for the center environment

If these options are passed directly to the `center` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `center/` prefix should be dropped.

<code>center/aboveskip</code>	<code>center/aboveskip = <skip></code>	Default: <code>\medskipamount</code>
-------------------------------	--	--------------------------------------

`<skip>` inserted above the `center` environment.

<code>center/belowskip</code>	<code>center/belowskip = <skip></code>	Default: <code>\medskipamount</code>
-------------------------------	--	--------------------------------------

`<skip>` inserted below the `center` environment.

<code>center/leftmargin</code>	<code>center/leftmargin = <dimen></code>	Default: <code>Opt</code>
--------------------------------	--	---------------------------

`<dimen>` used for the left margin of the `center` environment.

<code>center/rightmargin</code>	<code>center/rightmargin = <dimen></code>	Default: <code>Opt</code>
---------------------------------	---	---------------------------

`<dimen>` used for the right margin of the `center` environment.

2.4.2 Options for the flushright environment

If these options are passed directly to the `flushright` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `flushright/` prefix should be dropped.

<code>flushright/aboveskip</code>	<code>flushright/aboveskip = <skip></code>	Default: <code>\medskipamount</code>
-----------------------------------	--	--------------------------------------

`<skip>` inserted above the `flushright` environment.

<code>flushright/belowskip</code>	<code>flushright/belowskip = <skip></code>	Default: <code>\medskipamount</code>
-----------------------------------	--	--------------------------------------

`<skip>` inserted below the `flushright` environment.

<code>flushright/leftmargin</code>	<code>flushright/leftmargin = <dimen></code>	Default: <code>Opt</code>
------------------------------------	--	---------------------------

`<dimen>` used for the left margin of the `flushright` environment.

<code>flushright/rightmargin</code>	<code>flushright/rightmargin = <dimen></code>	Default: <code>Opt</code>
-------------------------------------	---	---------------------------

`<dimen>` used for the right margin of the `flushright` environment.

2.4.3 Options for the hanging environment

If these options are passed directly to the `hanging` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `hanging/` prefix should be dropped.

<code>hanging/aboveskip</code>	<code>hanging/aboveskip = <skip></code>	Default: <code>\medskipamount</code>
--------------------------------	---	--------------------------------------

`<skip>` inserted above the `hanging` environment.

`hanging/belowskip` `hanging/belowskip = <skip>` Default: `\medskipamount`
 <skip> inserted below the `hanging` environment.

`hanging/hang` `hanging/hang = <dimen>` Default: `2em`
 <dimen> used for the indent of subsequent lines of the `hanging` environment.

`hanging/leftmargin` `hanging/leftmargin = <dimen>` Default: `1em`
 <dimen> used for the left margin of the `hanging` environment.

`hanging/rightmargin` `hanging/rightmargin = <dimen>` Default: `1em`
 <dimen> used for the right margin of the `hanging` environment.

2.4.4 Options for the `midparachap` environment

If these options are passed directly to the `midparachap` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `midparachap/` prefix should be dropped.

`midparachap/hideverse` `midparachap/hideverse = <boolean>` Default: `false`

Whether a `\vs{1}` should automatically be inserted after a `\ch` when the `\ch` occurs mid-paragraph. This also affects `\ch` in `poetry` environments. `\extraskip` begins a new paragraph in a `poetry` environment. The value of <boolean> is optional and assumed to be `true` if not present. This option is the opposite of `midparachap/showverse`. See also `chapter/showverse`.

<pre> \begin{scripture}[Hosea 11:12--12:1% [midparachap/hideverse] \begin{poetry} \vs{12}Ephraim has surrounded me with lies, Israel with deceit. And Judah is unruly against God, even against the faithful Holy One. \ch{12}Ephraim feeds on the wind; he pursues the east wind all day and multiplies lies and violence. He makes a treaty with Assyria and sends olive oil to Egypt. \end{poetry} \end{scripture> </pre>	<p>¹²Ephraim has surrounded me with lies, Israel with deceit. And Judah is unruly against God, even against the faithful Holy One.</p> <p>12 Ephraim feeds on the wind; he pursues the east wind all day and multiplies lies and violence. He makes a treaty with Assyria and sends olive oil to Egypt. Hosea 11:12–12:1</p>
--	---

`midparachap/showverse` `midparachap/showverse = <boolean>` Default: `true`

Whether a `\vs{1}` should automatically be inserted after a `\ch` when the `\ch` occurs mid-paragraph. This also affects `\ch` in `poetry` environments. `\extraskip` begins a new paragraph in a `poetry` environment. The value of <boolean> is optional and assumed to be `true` if not present. This option is the opposite of `midparachap/hideverse`. See also `chapter/showverse`.

2.4.5 Options for the narrow environment

If these options are passed directly to the `narrow` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `narrow/` prefix should be dropped.

<u>narrow/aboveskip</u>	<code>narrow/aboveskip = $\langle skip \rangle$</code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted above the <code>narrow</code> environment.	
<u>narrow/belowskip</u>	<code>narrow/belowskip = $\langle skip \rangle$</code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted below the <code>narrow</code> environment.	
<u>narrow/leftmargin</u>	<code>narrow/leftmargin = $\langle dimen \rangle$</code>	Default: <code>1em</code>
	$\langle dimen \rangle$ used for the left margin of the <code>narrow</code> environment.	
<u>narrow/rightmargin</u>	<code>narrow/rightmargin = $\langle dimen \rangle$</code>	Default: <code>1em</code>
	$\langle dimen \rangle$ used for the right margin of the <code>narrow</code> environment.	

2.4.6 Options for the poetry environment

If these options are passed directly to the `poetry` environment rather than to the package, `\scripturesetup` or the `scripture` environment, then the `poetry/` prefix should be dropped.

<u>poetry/aboveskip</u>	<code>poetry/aboveskip = $\langle skip \rangle$</code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted above the <code>poetry</code> environment.	
<u>poetry/belowskip</u>	<code>poetry/belowskip = $\langle skip \rangle$</code>	Default: <code>\medskipamount</code>
	$\langle skip \rangle$ inserted below the <code>poetry</code> environment.	
<u>poetry/bigindent</u>	<code>poetry/bigindent = $\langle dimen \rangle$</code>	Default: <code>4em</code>
	$\langle dimen \rangle$ used for the indent subsequent lines of a line of poetry in a <code>poetry</code> environment if it needs to flow on to the following line.	
<u>poetry/indent</u>	<code>poetry/indent = $\langle dimen \rangle$</code>	Default: <code>1em</code>
	$\langle dimen \rangle$ used for the second half of a line of poetry in a <code>poetry</code> environment.	
<u>poetry/leftmargin</u>	<code>poetry/leftmargin = $\langle dimen \rangle$</code>	Default: <code>1em</code>
	$\langle dimen \rangle$ used for the left margin of the <code>poetry</code> environment.	
<u>poetry/rightmargin</u>	<code>poetry/rightmargin = $\langle dimen \rangle$</code>	Default: <code>Opt</code>
	$\langle dimen \rangle$ used for the right margin of the <code>poetry</code> environment.	

`poetry/verse/left` `poetry/verse/left = <boolean>` Default: `false`

New: 2022-07-31 Align verse numbers in poetry environments at the left margin of the `scripture` environment. This option is the opposite of `poetry/verse/right`.

<pre>\begin{scripture}[Atcs 15:15--18]% [poetry/leftmargin=2em, poetry/verse/left] \vs{15}The words of the prophets are in agreement with this, as it is written: \begin{poetry} \vs{16}'\thinspace'After this I will return and rebuild David's fallen tent. Its ruins I will rebuild, and I will restore it, \vs{17}that the rest of mankind may seek the Lord, even all the Gentiles who bear my name, says the Lord, who does these things'--- \vs{18}things known from long ago. \end{poetry} \end{scripture}</pre>	<pre>15The words of the prophets are in agreement with this, as it is written: 16 "After this I will return and rebuild David's fallen tent. Its ruins I will rebuild, and I will restore it, 17 that the rest of mankind may seek the Lord, even all the Gentiles who bear my name, says the Lord, who does these things"— 18 things known from long ago. Atcs 15:15-18</pre>
---	--

`poetry/verse/right` `poetry/verse/right = <boolean>` Default: `true`

New: 2022-07-31 Align verse numbers in poetry environments at the left margin of the poetry environment. The verse numbers overlap to the left. This option is the opposite of `poetry/verse/left`.

`poetry/verse/sep` `poetry/verse/sep = <dimen>` Default: `0.05 em`

New: 2022-07-31 `<dimen>` used to separate a `\vs` from the following text in a poetry environment. This is only used for verses at the start of a line.

3 Implementation

```
1 (*package)
2 (@@=scripture)
3 \NeedsTeXFormat{LaTeX2e}[2022-11-01]
4 \ProvidesExplPackage{scripture}{2023/12/27}{2.0}
5 {Format Scripture Quotations (DCP)}
```

3.1 Messages

`scripture` environments along with all internal environments can not be nested.

```
6 \msg_new:nnnn { scripture } { nested-environment }
7 { Nesting-of-scripture-environments-not-supported. }
8 { You-have-tried-to-nest-a-scripture-environment-or \\
9   one-of-its-internal-environments,-which-is-not-supported. }
```

Make sure polyglossia languages and variants are set up.

```
10 \msg_new:nnnn { scripture } { language-error }
11 { Language-#1'-not-set-up. }
12 { Language-#1'-has-not-been-set-up.-Make-sure-you-set-up-languages-
13   before-using-the-language-option-of-the-scripture-environment. }
```

Warn if a language is requested and neither babel nor polyglossia is loaded.

```

14 \msg_new:nnnn { scripture } { language-warning }
15 { Language~requested~without~support. }
16 { You~have~requested~language=#1,~but~neither~babel~nor~polyglossia~
17   have~been~loaded~and~set~up.~Ignoring~option~language=#1. }

```

Error if an unknown style is requested.

```

18 \msg_new:nnnn { scripture } { unknown-style }
19 { Style~#1~not~defined. }
20 { You~have~requested~style=#1,~but~it~has~not~been~defined.~
21   You~can~define~it~using~\token_to_str:N \scripturestyle.~
22   Ignoring~option~style=#1. }

```

3.2 Options

Key-value settings for the scripture environment and its inner environments.

```

23 \keys_define:nn { scripture }
24 {
25   , aboveskip           .tl_set:N           = \l__scripture_aboveskip_tl
26   , aboveskip           .value_required:n  = true
27   , aboveskip           .initial:n          = \c_zero_skip
28   , added / font        .tl_set:N           = \l__scripture_added_font_tl
29   , added / font        .value_required:n  = true
30   , added / font        .initial:n          =
31   , added / format      .cs_set:Np          = \__scripture_added_format:n #1
32   , added / format      .value_required:n  = true
33   , added / format      .initial:n          = \emph { #1 }
34   , belowskip           .tl_set:N           = \l__scripture_belowskip_tl
35   , belowskip           .value_required:n  = true
36   , belowskip           .initial:n          = \c_zero_skip
37   , colour              .tl_set:N           = \l__scripture_colour_tl
38   , colour              .value_required:n  = true
39   , colour              .initial:n          = .
40   , color               .meta:n            = { colour = { #1 } }
41   , compact             .bool_set:N        = \l__scripture_compact_bool
42   , compact             .default:n         = true
43   , compact             .initial:n         = false
44   , chapter / font      .tl_set:N           = \l__scripture_chap_font_tl
45   , chapter / font      .value_required:n  = true
46   , chapter / font      .initial:n         = \bfseries
47   , chapter / colour    .tl_set:N           = \l__scripture_chapter_colour_tl
48   , chapter / colour    .value_required:n  = true
49   , chapter / colour    .initial:n         = .
50   , chapter / color     .meta:n            = { chapter / colour = { #1 } }
51   , chapter / drop      .bool_set:N        = \l__scripture_chap_drop_bool
52   , chapter / drop      .default:n         = true
53   , chapter / drop      .initial:n         = true
54   , chapter / format    .cs_set:Np          = \__scripture_chap_format:n #1
55   , chapter / format    .value_required:n  = true
56   , chapter / format    .initial:n         = #1
57   , chapter / hide      .bool_set_inverse:N = \l__scripture_chap_show_bool
58   , chapter / hide      .default:n         = true
59   , chapter / nodrop    .bool_set_inverse:N = \l__scripture_chap_drop_bool

```



```

60 , chapter / nodrop .default:n = true
61 , chapter / sep .tl_set:N = \l__scripture_chap_sep_tl
62 , chapter / sep .value_required:n = true
63 , chapter / sep .initial:n = 0.5 em
64 , chapter / show .bool_set:N = \l__scripture_chap_show_bool
65 , chapter / show .default:n = true
66 , chapter / show .initial:n = true
67 , chapter / showverse .bool_set:N = \l__scripture_chap_show_verse_bool
68 , chapter / showverse .default:n = true
69 , chapter / showverse .initial:n = false
70 , extraskip .tl_set:N = \l__scripture_extraskip_tl
71 , extraskip .value_required:n = true
72 , extraskip .initial:n = \medskipamount
73 , font .tl_set:N = \l__scripture_font_tl
74 , font .value_required:n = true
75 , font .initial:n =
76 , indent .bool_set:N = \l__scripture_indent_bool
77 , indent .default:n = true
78 , indent .initial:n = true
79 , inline .bool_set:N = \l__scripture_inline_bool
80 , inline .default:n = true
81 , inline .initial:n = false
82 , inline / begin .tl_set:N = \l__scripture_inline_begin_tl
83 , inline / begin .value_required:n = true
84 , inline / begin .initial:n = ‘‘\,
85 , inline / end .tl_set:N = \l__scripture_inline_end_tl
86 , inline / end .value_required:n = true
87 , inline / end .initial:n = \, ’’
88 , inline / reference / format .cs_set:Np = \__scripture_inline_ref_format:n #1
89 , inline / reference / format .value_required:n = true
90 , inline / reference / format .initial:n = (#1)
91 , inline / reference / sep .tl_set:N = \l__scripture_inline_ref_sep_tl
92 , inline / reference / sep .value_required:n = true
93 , inline / reference / sep .initial:n = 0.5 em
94 , inline / version / delim .tl_set:N = \l__scripture_inline_version_delim_tl
95 , inline / version / delim .value_required:n = true
96 , inline / version / delim .initial:n = \c_space_tl
97 , inline / version / format .cs_set:Np = \__scripture_inline_version_format:n #1
98 , inline / version / format .value_required:n = true
99 , inline / version / format .initial:n = #1
100 , language .tl_set:N = \l__scripture_language_tl
101 , language .value_required:n = true
102 , language .initial:n =
103 , language / variant .tl_set:N = \l__scripture_language_variant_tl
104 , language / variant .value_required:n = true
105 , language / variant .initial:n =
106 , leftmargin .tl_set:N = \l__scripture_leftmargin_tl
107 , leftmargin .value_required:n = true
108 , leftmargin .initial:n = \c_zero_dim
109 , name / font .tl_set:N = \l__scripture_name_font_tl
110 , name / font .value_required:n = true
111 , name / font .initial:n = \scshape
112 , name / format .cs_set:Np = \__scripture_name_format:n #1
113 , name / format .value_required:n = true

```

114	, name / format	.initial:n	= #1
115	, noindent	.bool_set_inverse:N	= \l__scripture_indent_bool
116	, noindent	.default:n	= true
117	, parindent	.tl_set:N	= \l__scripture_parindent_tl
118	, parindent	.value_required:n	= true
119	, parindent	.initial:n	= \parindent
120	, parskip	.tl_set:N	= \l__scripture_parskip_tl
121	, parskip	.value_required:n	= true
122	, parskip	.initial:n	= \parskip
123	, redletter	.bool_set:N	= \l__scripture_red_letter_bool
124	, redletter	.default:n	= true
125	, redletter	.initial:n	= false
126	, redletter / colour	.tl_set:N	= \l__scripture_red_letter_colour_tl
127	, redletter / colour	.value_required:n	= true
128	, redletter / colour	.initial:n	= red!80!black
129	, redletter / color	.meta:n	= { redletter / colour = { #1 } }
130	, reference / align	.choices:nn	= { left, right }
131			{
132			\tl_if_exist:N \l__scripture_ref_
133			{ \tl_new:N \l__scripture_ref_al
134			\tl_set_eq:NN \l__scripture_ref_al
135			}
136	, reference / align	.value_required:n	= true
137	, reference / align	.initial:n	= right
138	, reference / colour	.tl_set:N	= \l__scripture_ref_colour_tl
139	, reference / colour	.value_required:n	= true
140	, reference / colour	.initial:n	= .
141	, reference / color	.meta:n	= { reference / colour = { #1 } }
142	, reference / font	.tl_set:N	= \l__scripture_ref_font_tl
143	, reference / font	.value_required:n	= true
144	, reference / font	.initial:n	= \bfseries
145	, reference / format	.cs_set:Np	= __scripture_ref_format:n #1
146	, reference / format	.value_required:n	= true
147	, reference / format	.initial:n	= #1
148	, reference / newline	.meta:n	= { reference / sep = \linewidth }
149	, reference / newline	.value_forbidden:n	= true
150	, reference / sep	.tl_set:N	= \l__scripture_ref_sep_tl
151	, reference / sep	.value_required:n	= true
152	, reference / sep	.initial:n	= 2 em
153	, rightmargin	.tl_set:N	= \l__scripture_rightmargin_tl
154	, rightmargin	.value_required:n	= true
155	, rightmargin	.initial:n	= \c_zero_dim
156	, selah / text	.tl_set:N	= \l__scripture_selah_text_tl
157	, selah / text	.value_required:n	= true
158	, selah / text	.initial:n	= Selah
159	, selah / font	.tl_set:N	= \l__scripture_selah_font_tl
160	, selah / font	.value_required:n	= true
161	, selah / font	.initial:n	= \itshape
162	, selah / format	.cs_set:Np	= __scripture_selah_format:n #1
163	, selah / format	.value_required:n	= true
164	, selah / format	.initial:n	= #1
165	, selah / sep	.tl_set:N	= \l__scripture_selah_sep_tl
166	, selah / sep	.value_required:n	= true
167	, selah / sep	.initial:n	= 1 em

168	, style	.choice:	
169	, style / unknown	.code:n	= \msg_error:nnx { scripture } { unknown-style } { \exp_not:n {#1} }
170			
171			
172			
173	, textright / sep	.tl_set:N	= \l__scripture_text_right_sep_tl
174	, textright / sep	.value_required:n	= true
175	, textright / sep	.initial:n	= 1 em
176	, verse / colour	.tl_set:N	= \l__scripture_verse_colour_tl
177	, verse / colour	.value_required:n	= true
178	, verse / colour	.initial:n	= .
179	, verse / color	.meta:n	= { verse / colour = { #1 } }
180	, verse / first	.bool_set:N	= \l__scripture_verse_first_bool
181	, verse / first	.default:n	= true
182	, verse / first	.initial:n	= false
183	, verse / firstformat	.cs_set:Np	= __scripture_verse_first_format:n #1
184	, verse / firstformat	.value_required:n	= true
185	, verse / firstformat	.initial:n	= #1
186	, verse / firstsep	.tl_set:N	= \l__scripture_verse_first_sep_tl
187	, verse / firstsep	.value_required:n	= true
188	, verse / firstsep	.initial:n	= 0.5em
189	, verse / font	.tl_set:N	= \l__scripture_verse_font_tl
190	, verse / font	.value_required:n	= true
191	, verse / font	.initial:n	=
192	, verse / format	.cs_set:Np	= __scripture_verse_format:n #1
193	, verse / format	.value_required:n	= true
194	, verse / format	.initial:n	= #1
195	, verse / hide	.bool_set_inverse:N	= \l__scripture_verse_show_bool
196	, verse / hide	.default:n	= true
197	, verse / sep	.tl_set:N	= \l__scripture_verse_sep_tl
198	, verse / sep	.value_required:n	= true
199	, verse / sep	.initial:n	= 0.05 em
200	, verse / show	.bool_set:N	= \l__scripture_verse_show_bool
201	, verse / show	.default:n	= true
202	, verse / show	.initial:n	= true
203	, version	.tl_set:N	= \l__scripture_version_tl
204	, version	.value_required:n	= true
205	, version	.initial:n	=
206	, version / delim	.tl_set:N	= \l__scripture_version_delim_tl
207	, version / delim	.value_required:n	= true
208	, version / delim	.initial:n	= \c_space_tl
209	, version / format	.cs_set:Np	= __scripture_version_format:n #1
210	, version / format	.value_required:n	= true
211	, version / format	.initial:n	= (#1)

Options for the center environment.

212	, center / aboveskip	.tl_set:N	= \l__scripture_center_aboveskip_tl
213	, center / aboveskip	.value_required:n	= true
214	, center / aboveskip	.initial:n	= \medskipamount
215	, center / belowskip	.tl_set:N	= \l__scripture_center_belowskip_tl
216	, center / belowskip	.value_required:n	= true
217	, center / belowskip	.initial:n	= \medskipamount
218	, center / leftmargin	.tl_set:N	= \l__scripture_center_leftmargin_tl
219	, center / leftmargin	.value_required:n	= true
220	, center / leftmargin	.initial:n	= \c_zero_dim

221	, center / rightmargin	.tl_set:N	= \l__scripture_center_rightmargin_tl
222	, center / rightmargin	.value_required:n	= true
223	, center / rightmargin	.initial:n	= \c_zero_dim

Options for the flushright environment.

224	, flushright / aboveskip	.tl_set:N	= \l__scripture_flushright_aboveskip_tl
225	, flushright / aboveskip	.value_required:n	= true
226	, flushright / aboveskip	.initial:n	= \medskipamount
227	, flushright / belowskip	.tl_set:N	= \l__scripture_flushright_belowskip_tl
228	, flushright / belowskip	.value_required:n	= true
229	, flushright / belowskip	.initial:n	= \medskipamount
230	, flushright / leftmargin	.tl_set:N	= \l__scripture_flushright_leftmargin_tl
231	, flushright / leftmargin	.value_required:n	= true
232	, flushright / leftmargin	.initial:n	= \c_zero_dim
233	, flushright / rightmargin	.tl_set:N	= \l__scripture_flushright_rightmargin_tl
234	, flushright / rightmargin	.value_required:n	= true
235	, flushright / rightmargin	.initial:n	= \c_zero_dim

Options for the hanging environment.

236	, hanging / aboveskip	.tl_set:N	= \l__scripture_hanging_aboveskip_tl
237	, hanging / aboveskip	.value_required:n	= true
238	, hanging / aboveskip	.initial:n	= \medskipamount
239	, hanging / belowskip	.tl_set:N	= \l__scripture_hanging_belowskip_tl
240	, hanging / belowskip	.value_required:n	= true
241	, hanging / belowskip	.initial:n	= \medskipamount
242	, hanging / hang	.tl_set:N	= \l__scripture_hanging_hang_tl
243	, hanging / hang	.value_required:n	= true
244	, hanging / hang	.initial:n	= 2 em
245	, hanging / leftmargin	.tl_set:N	= \l__scripture_hanging_leftmargin_tl
246	, hanging / leftmargin	.value_required:n	= true
247	, hanging / leftmargin	.initial:n	= 1 em
248	, hanging / rightmargin	.tl_set:N	= \l__scripture_hanging_rightmargin_tl
249	, hanging / rightmargin	.value_required:n	= true
250	, hanging / rightmargin	.initial:n	= \c_zero_dim

Options for the mid-paragraph chapters (including the midparachap environment).

251	, midparachap / hideverse	.bool_set_inverse:N	= \l__scripture_midparachap_show_verse
252	, midparachap / hideverse	.default:n	= true
253	, midparachap / showverse	.bool_set:N	= \l__scripture_midparachap_show_verse
254	, midparachap / showverse	.default:n	= true
255	, midparachap / showverse	.initial:n	= true

Options for the narrow environment.

256	, narrow / aboveskip	.tl_set:N	= \l__scripture_narrow_aboveskip_tl
257	, narrow / aboveskip	.value_required:n	= true
258	, narrow / aboveskip	.initial:n	= \medskipamount
259	, narrow / belowskip	.tl_set:N	= \l__scripture_narrow_belowskip_tl
260	, narrow / belowskip	.value_required:n	= true
261	, narrow / belowskip	.initial:n	= \medskipamount
262	, narrow / leftmargin	.tl_set:N	= \l__scripture_narrow_leftmargin_tl
263	, narrow / leftmargin	.value_required:n	= true
264	, narrow / leftmargin	.initial:n	= 1 em
265	, narrow / rightmargin	.tl_set:N	= \l__scripture_narrow_rightmargin_tl
266	, narrow / rightmargin	.value_required:n	= true
267	, narrow / rightmargin	.initial:n	= 1 em

Options for the poetry environment.

```

268     , poetry / aboveskip           .tl_set:N           = \l__scripture_poetry_aboveskip_tl
269     , poetry / aboveskip           .value_required:n   = true
270     , poetry / aboveskip           .initial:n          = \medskipamount
271     , poetry / belowskip           .tl_set:N           = \l__scripture_poetry_belowskip_tl
272     , poetry / belowskip           .value_required:n   = true
273     , poetry / belowskip           .initial:n          = \medskipamount
274     , poetry / bigindent            .tl_set:N           = \l__scripture_poetry_big_indent_tl
275     , poetry / bigindent            .value_required:n   = true
276     , poetry / bigindent            .initial:n          = 4 em
277     , poetry / indent               .tl_set:N           = \l__scripture_poetry_indent_tl
278     , poetry / indent               .value_required:n   = true
279     , poetry / indent               .initial:n          = 1 em
280     , poetry / leftmargin           .tl_set:N           = \l__scripture_poetry_leftmargin_tl
281     , poetry / leftmargin           .value_required:n   = true
282     , poetry / leftmargin           .initial:n          = 1 em
283     , poetry / rightmargin          .tl_set:N           = \l__scripture_poetry_rightmargin_tl
284     , poetry / rightmargin          .value_required:n   = true
285     , poetry / rightmargin          .initial:n          = \c_zero_dim
286     , poetry / verse / left         .bool_set_inverse:N = \l__scripture_poetry_verse_right_bool
287     , poetry / verse / left         .default:n          = true
288     , poetry / verse / right        .bool_set:N         = \l__scripture_poetry_verse_right_bool
289     , poetry / verse / right        .default:n          = true
290     , poetry / verse / right        .initial:n          = true
291     , poetry / verse / sep          .tl_set:N           = \l__scripture_poetry_verse_sep_tl
292     , poetry / verse / sep          .value_required:n   = true
293     , poetry / verse / sep          .initial:n          = 0.05 em
294 }

```

Process package options.

```

295 \ProcessKeyOptions

```

`__scripture_setup_style:nnn` Specify options which can later be activated using the `style` option. If the first argument is `true`, then the options are appended rather than replaced.

```

296 \cs_new_protected:Nn \__scripture_setup_style:nnn
297 {
298   \bool_if:NTF #1
299   {
300     \tl_if_exist:cF { g__scripture_style_ #2 _tl }
301     { \tl_new:c { g__scripture_style_ #2 _tl } }
302     \__scripture_setup_style:nne \c_false_bool { #2 }
303     { \tl_use:c { g__scripture_style_ #2 _tl } , #3 }
304   }
305   {
306     \tl_gset:cn { g__scripture_style_ #2 _tl } { #3 }
307     \keys_define:nn { scripture }
308     { style / #2 .meta:n = { #3 } }
309   }
310 }
311 \cs_generate_variant:Nn \__scripture_setup_style:nnn { nne }

```

(End of definition for `__scripture_setup_style:nnn`.)

3.3 Hooks

`scripture/chap/before` Hooks for before and after chapters and verses. The current chapter and verse is available in the hooks as `\scripturecurrentchapter` and `\scripturecurrentverse` respectively. These are global.

`scripture/chap/after`
`scripture/verse/before`
`scripture/verse/after`

```

312 \hook_new_pair:nn { scripture / chap / before } { scripture / chap / after }
313 \hook_new_pair:nn { scripture / verse / before } { scripture / verse / after }

```

(End of definition for `scripture/chap/before` and others. These variables are documented on page 10.)

3.4 The main scripture environment

`\l__scripture_active_bool` Flags to ensure that environments are not nested.

```

\l__scripture_active_inner_bool
314 \bool_new:N \l__scripture_active_bool
315 \bool_new:N \l__scripture_active_inner_bool

```

(End of definition for `\l__scripture_active_bool` and `\l__scripture_active_inner_bool`.)

`\l__scripture_clubpenalty_saved_int` Holds saved club penalty so we can change and restore it around chapter breaks.

```

316 \int_new:N \l__scripture_clubpenalty_saved_int

```

(End of definition for `\l__scripture_clubpenalty_saved_int`.)

`\g__scripture_prev_inner_below_skip` Save the last below skip of an inner environment so it can be removed if the main scripture environment ends with and inner environment.

```

317 \skip_new:N \g__scripture_prev_inner_below_skip

```

(End of definition for `\g__scripture_prev_inner_below_skip`.)

`\l__scripture_outer_itemindent_dim` Holds the `\itemindent` of the outer list. Used to calculate the `\itemindent` to retain correct indenting when a list environment is the first thing in an outer list.

```

318 \dim_new:N \l__scripture_outer_itemindent_dim

```

(End of definition for `\l__scripture_outer_itemindent_dim`.)

`__scripture_setup_list_noindent:n` Set `\noindent` to do a negative horizontal skip a list is the first item in a list then restore it at the end of the paragraph. This allows `\itemindent` to be set to a negative value and still have `\noindent` behave as expected.

```

319 \cs_new_protected_nopar:Nn \__scripture_setup_list_noindent:n
320 {
321   \legacy_if:nT {@newlist}
322   {
323     \cs_set_protected_nopar:Npn \noindent
324     {
325       \skip_horizontal:n { -#1 }
326     }
327     \hook_gput_next_code:nn { para / end }
328     {
329       \cs_gset_eq:NN \noindent \tex_noindent:D
330     }
331   }
332 }

```

(End of definition for `__scripture_setup_list_noindent:n`.)

`__scripture_skip_diff:NN` Find the difference between two skips while avoiding negative stretch and shrink components.

```

333 \cs_new_protected:Nn \__scripture_skip_diff:NN
334 {
335   \skip_eval:n
336   {
337     \dim_eval:n { \dimexpr #1 - \dimexpr #2 }
338     ~ plus ~
339     \dim_max:nn { \gluestretch #1 - \gluestretch #2 } \c_zero_dim
340     ~ minus ~
341     \dim_max:nn { \glueshrink #1 - \glueshrink #2 } \c_zero_dim
342   }
343 }

```

(End of definition for __scripture_skip_diff:NN.)

`__scripture_extra_skip:` Insert a little extra vertical space between two paragraphs. This function tests if the previous paragraph is only one line in length and began with a `\ch` function. If this condition is met, more space is added if necessary to avoid the following paragraph clashing with the drop chapter.

```

344 \cs_new_protected:Nn \__scripture_extra_skip:
345 {
346   \int_compare:nNnT
347   \g__scripture_chap_par_prevgraf_int = 1
348   {
349     \dim_compare:nNnT
350     { \parskip + \glueexpr \l__scripture_extraskip_tl } < \baselineskip
351     {
352       \addvspace { \baselineskip }
353     }
354     \int_gzero:N \g__scripture_chap_par_prevgraf_int
355   }
356   \addvspace { \l__scripture_extraskip_tl }
357 }

```

(End of definition for __scripture_extra_skip:.)

`__scripture_text_right:nn` Align a word to the right and finish a paragraph, pushing to the next line if there is not space for the word.

```

358 \cs_new_protected:Nn \__scripture_text_right:nn
359 {
360   \bool_lazy_or:nnTF
361   { \str_if_eq_p:Vn \l__scripture_currenvir_str { flushright } }
362   { \str_if_eq_p:Vn \l__scripture_currenvir_str { center } }
363   {
364     \unskip
365     \break
366     \strut
367     \hfill
368     #2
369     \para_end:
370   }
371   {
372     {

```

```

373         \unskip
374         \hfil
375         \penalty 50
376         \skip_horizontal:n { #1 }
377         \hbox:n {}
378         \nobreak
379         \hfill
380         #2
381         \skip_zero:N \parfillskip
382         \int_zero:N \finalhyphendemerits
383         \para_end:
384     }
385 }
386 }

```

(End of definition for _scripture_text_right:nn.)

3.4.1 Formatting and printing quotation references

`\l__scripture_ref_box` Box to hold the formatted reference.

```

387 \box_new:N \l__scripture_ref_box

```

(End of definition for \l__scripture_ref_box.)

`_scripture_format_full_ref:n` Format a scripture quotation with its reference.

```

388 \cs_new_protected:Nn \_scripture_format_full_ref:n
389 {
390     \group_begin:
391     \l__scripture_ref_font_tl
392     \str_if_eq:VnF \l__scripture_ref_colour_tl { . }
393     { \exp_args:NV \color_select:n \l__scripture_ref_colour_tl }
394     \_scripture_ref_format:n
395     {
396         #1

```

Append a Bible version if it has been specified.

```

397         \tl_if_empty:NF \l__scripture_version_tl
398         {
399             \tl_if_empty:nF { #1 }
400             { \l__scripture_version_delim_tl }
401             \_scripture_version_format:n { \l__scripture_version_tl }
402         }
403     }
404     \group_end:
405 }

```

(End of definition for _scripture_format_full_ref:n.)

`_scripture_reference:n` Output the reference for the Scripture quotation.

```

406 \cs_new_protected:Nn \_scripture_reference:n
407 {
408     \hbox_set:Nn \l__scripture_ref_box
409     {
410         \_scripture_format_full_ref:n { #1 }
411     }

```



```

412 \dim_compare:nNnT
413 { \box_wd:N \l__scripture_ref_box + \g__scripture_final_line_dim + \l__scripture_ref_s
414 >
415 \linewidth
416 {
417   \skip_vertical:N \baselineskip
418   \tl_if_eq:NnT \l__scripture_ref_align_tl { left }
419   {
420     \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
421     { \skip_vertical:N \baselineskip }
422   }
423 }
424 \tl_if_eq:NnTF \l__scripture_ref_align_tl { right }
425 { \hfill }
426 {
427   \dim_compare:nNnT
428   { \box_wd:N \l__scripture_ref_box + \g__scripture_final_line_dim + \l__scripture_r
429   <
430   \linewidth
431   { \skip_horizontal:n { \g__scripture_final_line_dim + \l__scripture_ref_sep_tl } }
432 }
433 \box_use:N \l__scripture_ref_box
434 }

```

(End of definition for __scripture_reference:n.)

3.4.2 Red lettering

`\g__scripture_red_letter_active_bool` Flag indicating if currently in a red letter block of text.

```
435 \bool_new:N \g__scripture_red_letter_active_bool
```

(End of definition for \g__scripture_red_letter_active_bool.)

`__scripture_red_letter_on:` Mark the beginning of a section of text attributed to Jesus Christ.

```

436 \cs_new_protected:Nn \__scripture_red_letter_on:
437 {
438   \bool_if:NT \l__scripture_red_letter_bool
439   {
440     \bool_gset_true:N \g__scripture_red_letter_active_bool
441     \exp_args:NV \color_select:n \l__scripture_red_letter_colour_tl
442     \str_if_eq:VnF \l__scripture_currenvir_str { scripture }
443     {
444       \hook_gput_next_code:nn { env / \l__scripture_currenvir_str / after }
445       {
446         \exp_args:NV \color_select:n \l__scripture_red_letter_colour_tl
447       }
448     }
449   }
450 }

```

(End of definition for __scripture_red_letter_on:.)

`__scripture_red_letter_off:` Mark the beginning of a section of text attributed to Jesus Christ.

```

451 \cs_new_protected:Nn \__scripture_red_letter_off:
452 {

```

```

453 \bool_if:NT \l__scripture_red_letter_bool
454 {
455   \color_select:n { scripture default colour }
456   \bool_gset_false:N \g__scripture_red_letter_active_bool
457   \str_if_eq:VnF \l__scripture_currenvir_str { scripture }
458   {
459     \hook_gput_next_code:nn { env / \l__scripture_currenvir_str / after }
460     {
461       \color_select:n { scripture default colour }
462     }
463   }
464 }
465 }

```

(End of definition for `__scripture_red_letter_off:.`)

3.4.3 Selecting language

`__scripture_select_language:` Select specified language if required.

```

466 \cs_new_protected:Nn \__scripture_select_language:
467 {
468   \tl_if_empty:NF \l__scripture_language_tl
469   {
470     \@ifpackageloaded { babel }
471     {
472       \selectlanguage { \l__scripture_language_tl }
473     }
474     {
475       \@ifpackageloaded { polyglossia }
476       {
477         \iflanguageloaded { \l__scripture_language_tl }
478         {
479           \tl_if_empty:NTF \l__scripture_language_variant_tl
480           {
481             \selectlanguage { \l__scripture_language_tl }
482           }
483           {
484             \selectlanguage
485             [ variant = \l__scripture_language_variant_tl ]
486             { \l__scripture_language_tl }
487           }
488         }
489         {
490           \msg_error:nnx
491           { scripture }
492           { language-error }
493           { \l__scripture_language_tl }
494         }
495       }
496     }
497     \msg_warning:nnx
498     { scripture }
499     { language-warning }
500     { \l__scripture_language_tl }

```

```

501         }
502     }
503 }
504 }

```

(End of definition for _scripture_select_language:.)

3.4.4 Formatting and printing chapter numbers

\l__scripture_chap_box Boxes use to store and calculate drop chapter.
l__scripture_chap_tmp_box

```

505 \box_new:N \l__scripture_chap_box
506 \box_new:N \l__scripture_chap_tmp_box

```

(End of definition for \l__scripture_chap_box and l__scripture_chap_tmp_box.)

\l__scripture_chap_fontsize_dim Calculated font size of a drop chapter number.

```

507 \dim_new:N \l__scripture_chap_fontsize_dim

```

(End of definition for \l__scripture_chap_fontsize_dim.)

\l__scripture_chap_height_dim Calculated height of a drop chapter number.

```

508 \dim_new:N \l__scripture_chap_height_dim

```

(End of definition for \l__scripture_chap_height_dim.)

\l__scripture_chap_width_dim Calculated width of drop chapter number.

```

509 \dim_new:N \l__scripture_chap_width_dim

```

(End of definition for \l__scripture_chap_width_dim.)

\g__scripture_chap_par_prevgraf_int Store the number of lines a chapter paragraph takes up.

```

510 \int_new:N \g__scripture_chap_par_prevgraf_int

```

(End of definition for \g__scripture_chap_par_prevgraf_int.)

\l__scripture_chap_X_height_dim Calculated height of X at current font size. This is used as the height for a drop chapter.

```

511 \dim_new:N \l__scripture_chap_X_height_dim

```

(End of definition for \l__scripture_chap_X_height_dim.)

_scripture_drop_chap_set_up:n Set up chapter drop cap and calculate its various dimensions.

```

512 \cs_new_protected:Nn \_scripture_drop_chap_set_up:n
513 {
514   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
515   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
516   \hbox_set:Nn \l__scripture_chap_tmp_box { X }
517   \dim_set:Nn \l__scripture_chap_X_height_dim
518     { \box_ht:N \l__scripture_chap_tmp_box }
519   \dim_set:Nn \l__scripture_chap_height_dim
520     { \baselineskip + \l__scripture_chap_X_height_dim }
521   \dim_set:Nn \l__scripture_chap_fontsize_dim
522     {
523       \f@size pt *
524       \dim_ratio:nn
525         { \l__scripture_chap_height_dim }
526         { \l__scripture_chap_X_height_dim }

```

```

527     }
528     \hbox_set:Nn \l__scripture_chap_tmp_box
529     {
530       \l__scripture_chap_font_tl
531       \fontsize
532         { \l__scripture_chap_fontsize_dim }
533         { \l__scripture_chap_fontsize_dim }
534       \selectfont
535       \str_if_eq:VnF \l__scripture_chapter_colour_tl { . }
536       { \exp_args:NV \color_select:n \l__scripture_chapter_colour_tl }
537       \__scripture_chap_format:n { #1 }
538     }
539     \dim_set:Nn \l__scripture_chap_width_dim
540     { \box_wd:N \l__scripture_chap_tmp_box }

```

Avoid breaks in the middle of drop chapters.

```

541     \int_set_eq:NN \l__scripture_clubpenalty_saved_int \clubpenalty
542     \clubpenalty 10000
543     \hook_gput_next_code:nn { para / after }
544     {
545       \int_gset_eq:NN \g__scripture_chap_par_prevgraf_int \prevgraf
546       \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
547       { \penalty 10000 }
548       \hook_gput_next_code:nn { para / before }
549       { \int_set_eq:NN \clubpenalty \l__scripture_clubpenalty_saved_int }
550     }
551   }

```

(End of definition for __scripture_drop_chap_set_up:n.)

`__scripture_drop_chap_output:` Output a drop chapter.

```

552 \cs_new_protected:Nn \__scripture_drop_chap_output:
553 {
554   \noindent
555   \parshape 3 ~
556   \dim_eval:n
557     { \@totalleftmargin + \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl } ~
558   \dim_eval:n
559     { \linewidth - \l__scripture_chap_width_dim - \l__scripture_chap_sep_tl } ~
560   \dim_eval:n
561     { \@totalleftmargin + \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl } ~
562   \dim_eval:n
563     { \linewidth - \l__scripture_chap_width_dim - \l__scripture_chap_sep_tl } ~
564   \@totalleftmargin ~
565   \linewidth
566   \group_begin:
567   \hook_use:n { scripture / chap / before }
568   \box_use:N \l__scripture_chap_box
569   \hook_use:n { scripture / chap / after }
570   \group_end:
571   \bool_if:NT \l__scripture_chap_show_verse_bool
572   { \__scripture_verse_output:n { 1 } }
573 }

```

(End of definition for __scripture_drop_chap_output:.)

`__scripture_nodrop_chap:n` Format a non-drop chapter.

```
574 \cs_new_protected:Nn \__scripture_nodrop_chap:n
575 {
576   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
577   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
578   \group_begin:
579   \bool_if:NTF \l__scripture_chap_show_bool
580   {
581     \hook_use:n { scripture / chap / before }
582     \group_begin:
583     \str_if_eq:VnF \l__scripture_chapter_colour_tl { . }
584     { \exp_args:NV \color_select:n \l__scripture_chapter_colour_tl }
585     \l__scripture_chap_font_tl
586     \__scripture_chap_format:n { #1 }
587     \group_end:
588     \skip_horizontal:N \l__scripture_chap_sep_tl
589     \hook_use:n { scripture / chap / after }
590     \bool_if:NT \l__scripture_chap_show_verse_bool
591     {
592       \__scripture_verse_output:n { 1 }
593     }
594   }
595   {
596     \hook_use:n { scripture / chap / before }
597     \hook_use:n { scripture / chap / after }
598     \vs { 1 }
599   }
600   \group_end:
601 }
```

(End of definition for `__scripture_nodrop_chap:n`.)

`__scripture_chap:n` Position a drop chapter.

```
602 \cs_new_protected:Nn \__scripture_chap:n
603 {
604   \__scripture_drop_chap_set_up:n { #1 }
605   \hbox_set:Nn \l__scripture_chap_box
606   {
607     \box_move_down:nn
608     { \baselineskip }
609     {
610       \hbox_overlap_left:n
611       {
612         \box_use:N \l__scripture_chap_tmp_box
613         \skip_horizontal:N \l__scripture_chap_sep_tl
614       }
615     }
616   }
617   \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
618   \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
619   \bool_if:NTF \l__scripture_mid_para_chap_bool
620   { \__scripture_mid_para_drop_chap_output: }
621   {
622     \par
```

```

623     \__scripture_drop_chap_output:
624   }
625   \hook_gput_next_code:nn { para / before }
626   {
627     \legacy_if:nF { @newlist }
628     {
629       \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
630       { \extraskip }
631       \int_gzero:N \g__scripture_chap_par_prevgraf_int
632     }
633     \parshape 1 ~ \@totalleftmargin ~ \linewidth
634   }
635 }

```

(End of definition for __scripture_chap:n.)

3.4.5 Formatting and printing verse numbers

\l__scripture_verse_par_start_bool Flag for whether the current verse is at the start of a paragraph.

```
636 \bool_new:N \l__scripture_verse_par_start_bool
```

(End of definition for \l__scripture_verse_par_start_bool.)

\l__scripture_no_verse_first_bool Suppress the next verse from formatting differently if it begins a new paragraph.

```
637 \bool_new:N \l__scripture_no_verse_first_bool
```

(End of definition for \l__scripture_no_verse_first_bool.)

__scripture_verse_output:n Output a formatted verse.

```

638 \cs_new_protected:Nn \__scripture_verse_output:n
639 {
640   \cs_gset_nopar:Npn \scripturecurrentverse { #1 }
641   \legacy_if:nTF { @endpe }
642   { \bool_set_false:N \l__scripture_verse_par_start_bool }
643   { \bool_set_true:N \l__scripture_verse_par_start_bool }
644   \mode_if_vertical:TF
645   { \mode_leave_vertical: }
646   { \bool_set_false:N \l__scripture_verse_par_start_bool }
647   \bool_if:NT \l__scripture_no_verse_first_bool
648   {
649     \bool_set_false:N \l__scripture_verse_par_start_bool
650     \bool_set_false:N \l__scripture_no_verse_first_bool
651   }
652   \group_begin:
653   \hook_use:n { scripture / verse / before }
654   \bool_if:NT \l__scripture_verse_show_bool
655   {
656     \group_begin:
657     \l__scripture_verse_font_tl
658     \str_if_eq:VnF \l__scripture_verse_colour_tl { . }
659     { \exp_args:NV \color_select:n \l__scripture_verse_colour_tl }
660     \bool_lazy_all:nTF
661     {
662       { \l__scripture_verse_first_bool }
663       { \l__scripture_verse_par_start_bool }

```

```

664         { \bool_not_p:n { \str_if_eq_p:Vn \l__scripture_currenvir_str { poetry } } }
665     }
666     {
667         \__scripture_verse_first_format:n { #1 }
668         \group_end:
669         \kern \l__scripture_verse_first_sep_tl
670     }
671     {
672         \__scripture_verse_format:n { #1 }
673         \group_end:
674         \kern \l__scripture_verse_sep_tl
675     }
676 }
677 \hook_use:n { scripture / verse / after }
678 \group_end:
679 }

```

(End of definition for __scripture_verse_output:n.)

3.4.6 Calculating the length of the final line in a paragraph

`\g__scripture_final_line_dim` Store the length of the final line in a paragraph.

```
680 \dim_new:N \g__scripture_final_line_dim
```

(End of definition for \g__scripture_final_line_dim.)

`__scripture_calc_final_line_length:` Calculate the length of the final line in a paragraph.

```

681 \cs_new_protected:Nn \__scripture_calc_final_line_length:
682 {
683     \skip_set:Nn \abovedisplayshortskip { -\baselineskip }
684     \skip_set_eq:NN \abovedisplayshortskip \abovedisplayshortskip
685     \skip_zero:N \belowdisplayshortskip
686     \skip_zero:N \belowdisplayshortskip
687     $$
688     \dim_compare:nNnT \predisplaysize > \c_zero_dim
689     {
690         \dim_gset:Nn \g__scripture_final_line_dim
691         { \predisplaysize - 2 em }
692     }
693     \cs_gset_nopar:Nx \__scripture_reset_spacing:
694     {
695         \dim_set:Nn \predisplaysize { \dim_use:N \predisplaysize }
696         \int_set:Nn \prevgraf { \int_use:N \prevgraf }
697     }
698     $$
699     \__scripture_reset_spacing:
700     \dim_compare:nNnT \g__scripture_final_line_dim > \paperwidth
701     { \dim_gset:Nn \g__scripture_final_line_dim { \@totalleftmargin + \linewidth } }
702     \dim_compare:nNnT \g__scripture_final_line_dim > { \c_zero_dim - 1 sp }
703     { \skip_vertical:n { -\baselineskip - \parskip } }
704 }

```

(End of definition for __scripture_calc_final_line_length:.)

3.4.7 The scripture environment

<code>\l__scripture_currenvir_str</code>	Store the current scripture environment. 705 <code>\str_new:N \l__scripture_currenvir_str</code> <i>(End of definition for \l__scripture_currenvir_str.)</i>
<code>\l__scripture_parskip_correction_skip</code>	Correction to ensure consistent <code>\parskip</code> at start of <code>scripture</code> environment with non-zero <code>parskip</code> option. 706 <code>\skip_new:N \l__scripture_parskip_correction_skip</code> <i>(End of definition for \l__scripture_parskip_correction_skip.)</i>
<code>__scripture_added:n</code>	Mark text as added. 707 <code>\cs_new_protected_nopar:Nn __scripture_added:n</code> 708 <code>{</code> 709 <code> \group_begin:</code> 710 <code> \l__scripture_added_font_tl</code> 711 <code> __scripture_added_format:n { #1 }</code> 712 <code> \group_end:</code> 713 <code>}</code> <i>(End of definition for __scripture_added:n.)</i>
<code>__scripture_name:n</code>	Output divine name. 714 <code>\cs_new_protected_nopar:Nn __scripture_name:n</code> 715 <code>{</code> 716 <code> \group_begin:</code> 717 <code> \l__scripture_name_font_tl</code> 718 <code> __scripture_name_format:n { #1 }</code> 719 <code> \group_end:</code> 720 <code>}</code> <i>(End of definition for __scripture_name:n.)</i>
<code>__scripture_no_first_verse:</code>	Suppress special formatting for first verse if active. 721 <code>\cs_new_protected_nopar:Nn __scripture_no_first_verse:</code> 722 <code>{</code> 723 <code> \bool_set_true:N \l__scripture_no_verse_first_bool</code> 724 <code>}</code> <i>(End of definition for __scripture_no_first_verse:.)</i>
<code>__scripture_ch:nn</code>	Print a chapter number in the main scripture environment. 725 <code>\cs_new_protected:Nn __scripture_ch_output:nn</code> 726 <code>{</code> 727 <code> \bool_if:NTF \l__scripture_chap_show_bool</code> 728 <code> {</code> 729 <code> \bool_if:NTF \l__scripture_chap_drop_bool</code> 730 <code> {</code> 731 <code> __scripture_chap:n { #2 }</code> 732 <code> \bool_if:nTF { #1 }</code> 733 <code> {</code> 734 <code> \hook_gput_next_code:nn { para / after }</code> 735 <code> {</code>


```

736         \int_gzero:N \g__scripture_chap_par_prevgraf_int
737         \int_gzero:N \g__scripture_mid_para_chap_prevgraf_int
738     }
739 }
740 {
741     \hook_gput_next_code:nn { para / after }
742     { \int_gset_eq:NN \g__scripture_mid_para_chap_prevgraf_int \prevgraf }
743 }
744 }
745 { \__scripture_nodrop_chap:n { #2 } }
746 }
747 { \__scripture_nodrop_chap:n { #2 } }
748 }

```

(End of definition for __scripture_ch:nn.)

__scripture_begin:n Begin a scripture quotation.

```

749 \cs_new_protected:Nn \__scripture_begin:n
750 {
751     \cs_set_eq:NN \__scripture_noindent_saved: \noindent
752     \bool_if:NT \l__scripture_active_bool
753     {
754         \msg_error:nn { scripture } { nested-environment }
755     }
756     \bool_set_true:N \l__scripture_active_bool
757     \tl_set:Nn \l__scripture_currenvir_str { scripture }
758     \tl_if_novalue:nF { #1 }
759     {
760         \keys_set:nn { scripture } { #1 }
761     }
762     \__scripture_select_language:
763     \int_gzero:N \g__scripture_chap_par_prevgraf_int

```

Empty \everydisplay to ensure it isn't interfering with spacing.

```

764     \everydisplay { }
765     \int_set:Nn \predisplayspace { 10000 }
766     \int_set_eq:NN \postdisplayspace \@lowpenalty
767     \int_set:Nn \@beginparpenalty { -\@lowpenalty }
768     \int_set_eq:NN \@endparpenalty \@lowpenalty
769     \bool_gset_false:N \g__scripture_poetry_end_bool
770     \cs_set_eq:NN \extraskip \__scripture_extra_skip:
771     \cs_set_eq:NN \redletteron \__scripture_red_letter_on:
772     \cs_set_eq:NN \redletteroff \__scripture_red_letter_off:
773     \DeclareDocumentCommand { \ch } { sm }
774     { \__scripture_ch_output:nn { ##1 } { ##2 } }
775     \cs_set_eq:NN \vs \__scripture_verse_output:n
776     \cs_set_eq:NN \added \__scripture_added:n
777     \cs_set_eq:NN \name \__scripture_name:n
778     \cs_set_protected_nopar:Npn \LORD { \name { Lord } }
779     \cs_set_protected_nopar:Npn \GOD { \name { God } }
780     \cs_set_eq:NN \nofirstverse \__scripture_no_first_verse:
781     \cs_set_protected_nopar:Npn \textright ##1
782     { \__scripture_text_right:nn { \l__scripture_text_right_sep_tl } { ##1 } }
783     \hook_gclear_next_code:n { para / before }
784     \l__scripture_font_tl

```

```

785 \exp_args:NnV \color_set:nn { scripture default colour } \l__scripture_colour_tl
786 \str_if_eq:VnF \l__scripture_colour_tl { . }
787 { \color_select:n { scripture default colour } }
788 \bool_if:NTF \l__scripture_inline_bool
789 { \l__scripture_inline_begin_tl }
790 {
791   \legacy_if:nTF { @newlist }
792   { \dim_set_eq:NN \l__scripture_outer_itemindent_dim \itemindent }
793   { \dim_zero:N \l__scripture_outer_itemindent_dim }
794   \list { }
795   {
796     \dim_set_eq:NN \leftmargin \l__scripture_leftmargin_tl
797     \dim_set_eq:NN \rightmargin \l__scripture_rightmargin_tl
798     \dim_set:Nn \itemindent { \l__scripture_parindent_tl - \l__scripture_outer_itemi
799     \dim_set_eq:NN \listparindent \l__scripture_parindent_tl
800     \skip_zero:N \partopsep
801     \skip_set_eq:NN \parsep \l__scripture_parskip_tl
802     \dim_compare:nNnTF \parskip > \l__scripture_aboveskip_tl
803     { \skip_zero:N \topsep }
804     { \skip_set:Nn \topsep { \__scripture_skip_diff:NN \l__scripture_aboveskip_tl }
805     \__scripture_setup_list_noindent:n { \l__scripture_parindent_tl }
806     \bool_if:NF \l__scripture_indent_bool
807     {
808       \hook_gput_next_code:nn { para / begin }
809       {
810         \bool_lazy_any:nT
811         {
812           { \str_if_eq_p:Vn \l__scripture_currenvir_str { midparachap } } }
813           { \str_if_eq_p:Vn \l__scripture_currenvir_str { narrow } } }
814           { \str_if_eq_p:Vn \l__scripture_currenvir_str { scripture } } }
815         }
816         {
817           \legacy_if:nTF { @noperlist }
818           { \noindent }
819           { \para_omit_indent: }
820         }
821       }
822     }
823   }
824   \dim_set_eq:NN \parindent \l__scripture_parindent_tl
825   \item
826   \relax
827 }
828 }

```

(End of definition for `__scripture_begin:n`.)

`__scripture_end:n` End a scripture quotation with a reference.

```

829 \cs_new_protected:Nn \__scripture_end:n
830 {
831   \bool_if:NTF \l__scripture_inline_bool
832   {
833     \unskip
834     \__scripture_red_letter_off:

```

```

835 \l__scripture_inline_end_tl
836 \bool_lazy_or:nnTF
837   { \tl_if_novalue_p:n { #1 } }
838   { \tl_if_empty_p:n { #1 } }
839   {
840     \tl_if_empty:NF \l__scripture_version_tl
841     {
842       \skip_horizontal:N \l__scripture_ref_sep_tl
843       \__scripture_format_full_ref:n { }
844     }
845   }
846   {
847     \skip_horizontal:N \l__scripture_ref_sep_tl
848     \__scripture_format_full_ref:n { #1 }
849   }
850 }
851 {
852   \__scripture_red_letter_off:
853   \skip_zero:N \parskip
854   \int_set:Nn \postdisplaypenalty { 10000 }
855   \__scripture_calc_final_line_length:
856   \dim_gsub:Nn \g__scripture_final_line_dim \@totalleftmargin
857   \dim_compare:nNnTF \@outerparskip > \l__scripture_belowskip_tl
858   { \skip_zero:N \@topsepadd }
859   { \skip_set:Nn \@topsepadd { \__scripture_skip_diff:NN \l__scripture_belowskip_tl

```

If a scripture quotation ends with an inner environment, remove the below skip of the inner environment.

```

860   \int_compare:nNnT \prevgraf = \c_zero_int
861   { \skip_vertical:n { -\g__scripture_prev_inner_below_skip } }
862   \hook_gc_clear_next_code:n { para / before }
863   \parshape 1 ~ \@totalleftmargin ~ \linewidth
864   \noindent
865   \bool_lazy_or:nnTF
866     { \tl_if_novalue_p:n { #1 } }
867     { \tl_if_empty_p:n { #1 } }
868     {
869       \tl_if_empty:NTF \l__scripture_version_tl
870       { \hbox:n { } }
871       { \__scripture_reference:n { } }
872     }
873     { \__scripture_reference:n { #1 } }

```

Set @nparlist to false to ensure \topsep is always added scripture environment

```

874   \@nparlistfalse
875   \endlist
876 }
877 \cs_set_eq:NN \noindent \__scripture_noindent_saved:
878 }

```

(End of definition for __scripture_end:n.)

3.5 Scripture internal environments

3.5.1 The center environment

`_scripture_center_begin:n` Begin a centred section in a scripture quotation.

```
879 \cs_new_protected:Nn \_scripture_center_begin:n
880 {
881   \bool_if:NT \l__scripture_active_inner_bool
882     {
883       \msg_error:nn { scripture } { nested-environment }
884     }
885   \bool_set_true:N \l__scripture_active_inner_bool
886   \tl_set:Nn \l__scripture_currenvir_str { center }
887   \tl_if_novalue:nF { #1 }
888     {
889       \keys_set:nn
890         { scripture / center }
891         { #1 }
892     }
893   \legacy_if:nTF { @newlist }
894     { \dim_add:Nn \l__scripture_outer_itemindent_dim \itemindent }
895     { \dim_zero:N \l__scripture_outer_itemindent_dim }
896   \list { }
897   {
```

Ignore aboveskip if at the beginning of a scripture environment.

```
898     \dim_zero:N \labelsep
899     \dim_set_eq:NN \leftmargin \l__scripture_center_leftmargin_tl
900     \dim_set_eq:NN \rightmargin \l__scripture_center_rightmargin_tl
901     \dim_set:Nn \itemindent { -\l__scripture_outer_itemindent_dim }
902     \dim_zero:N \listparindent
903     \skip_set_eq:NN \parsep \parskip
904     \skip_zero:N \partopsep
905     \dim_compare:nNnTF \parskip > \l__scripture_center_aboveskip_tl
906       { \skip_zero:N \topsep }
907       { \skip_set:Nn \topsep { \_scripture_skip_diff:NN \l__scripture_center_aboveskip_tl } }
908     \_scripture_setup_list_noindent:n { \c_zero_dim }
909   }
910   \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
911     { \addvspace { \baselineskip } }
912   \int_gzero:N \g__scripture_chap_par_prevgraf_int
913   \centering
914   \item
915   \relax
916 }
```

(End of definition for `_scripture_center_begin:n`.)

`_scripture_center_end:` End a centred section in a scripture quotation.

```
917 \cs_new_protected:Nn \_scripture_center_end:
918 {
919   \dim_gset:Nn \g__scripture_final_line_dim { \@totalleftmargin + \linewidth }
920   \dim_compare:nNnTF \@outerparskip > \l__scripture_center_belowskip_tl
921     { \skip_zero:N \@topsepadd }
922     { \skip_set:Nn \@topsepadd { \_scripture_skip_diff:NN \l__scripture_center_belowskip_tl } }
```

```

923     \skip_gset_eq:NN \g__scripture_prev_inner_below_skip \@topsepadd
924     \legacy_if_set_false:n { @noparlist }
925     \endlist
926   }

```

(End of definition for __scripture_center_end:.)

3.5.2 The flushright environment

__scripture_flushright_begin:n Begin a flushright section in a scripture quotation.

```

927 \cs_new_protected:Nn \__scripture_flushright_begin:n
928 {
929   \bool_if:NT \l__scripture_active_inner_bool
930   {
931     \msg_error:nn { scripture } { nested-environment }
932   }
933   \bool_set_true:N \l__scripture_active_inner_bool
934   \tl_set:Nn \l__scripture_currenvir_str { flushright }
935   \tl_if_no_value:nF { #1 }
936   {
937     \keys_set:nn
938       { scripture / flushright }
939       { #1 }
940   }
941   \legacy_if:nTF { @newlist }
942     { \dim_add:Nn \l__scripture_outer_itemindent_dim \itemindent }
943     { \dim_zero:N \l__scripture_outer_itemindent_dim }
944   \list { }
945   {

```

Ignore aboveskip if at the beginning of a scripture environment.

```

946     \dim_zero:N \labelsep
947     \dim_set_eq:NN \leftmargin \l__scripture_flushright_leftmargin_tl
948     \dim_set_eq:NN \rightmargin \l__scripture_flushright_rightmargin_tl
949     \dim_set:Nn \itemindent { -\l__scripture_outer_itemindent_dim }
950     \dim_zero:N \listparindent
951     \skip_set_eq:NN \parsep \parskip
952     \skip_zero:N \partopsep
953     \dim_compare:nNnTF \parskip > \l__scripture_flushright_aboveskip_tl
954       { \skip_zero:N \topsep }
955       { \skip_set:Nn \topsep { \__scripture_skip_diff:NN \l__scripture_flushright_aboveskip_tl } }
956     \__scripture_setup_list_noindent:n { \c_zero_dim }
957   }
958   \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
959     { \addvspace { \baselineskip } }
960   \int_gzero:N \g__scripture_chap_par_prevgraf_int
961   \raggedleft
962   \item
963   \relax
964 }

```

(End of definition for __scripture_flushright_begin:n.)

__scripture_flushright_end: End a flushright section in a scripture quotation.

```

965 \cs_new_protected:Nn \__scripture_flushright_end:

```

```

966 {
967   \dim_gset:Nn \g__scripture_final_line_dim { \@totalleftmargin + \linewidth }
968   \dim_compare:nNnTF \@outerparskip > \l__scripture_flushright_belowskip_tl
969     { \skip_zero:N \@topsepadd }
970     { \skip_set:Nn \@topsepadd { \__scripture_skip_diff:NN \l__scripture_flushright_belowskip_tl }
971     \skip_gset_eq:NN \g__scripture_prev_inner_below_skip \@topsepadd
972     \legacy_if_set_false:n { @noparlist }
973     \endlist
974 }

```

(End of definition for `__scripture_flushright_end:.`)

3.5.3 The hanging environment

`\l__scripture_hanging_parindent_saved_dim` Save the `\parindent` for later use in hanging environment.

```

975 \dim_new:N \l__scripture_hanging_parindent_saved_dim

```

(End of definition for `\l__scripture_hanging_parindent_saved_dim`.)

`__scripture_hanging_ch:n` Position a chapter in a hanging environment.

```

976 \cs_new_protected:Nn \__scripture_hanging_ch:n
977 {
978   \bool_if:NTF \l__scripture_chap_show_bool
979     {
980       \bool_if:NTF \l__scripture_chap_drop_bool
981         { \__scripture_hanging_chap:n { #1 } }
982         { \__scripture_nodrop_chap:n { #1 } }
983     }
984     { \__scripture_nodrop_chap:n { #1 } }
985 }

```

(End of definition for `__scripture_hanging_ch:n`.)

`__scripture_hanging_chap:n` Position a drop chapter in a hanging environment.

```

986 \cs_new_protected:Nn \__scripture_hanging_chap:n
987 {
988   \__scripture_drop_chap_set_up:n { #1 }
989   \dim_compare:nNnTF
990     \l__scripture_chap_width_dim < \leftmargin
991     {
992       \tl_set:Nx \l__scripture_chap_sep_tl
993         {
994           \dim_eval:n { \leftmargin - \l__scripture_chap_width_dim }
995         }
996     }
997     {
998       \parshape 3 ~
999       \dim_eval:n
1000         {
1001           \@totalleftmargin - \leftmargin + \l__scripture_chap_width_dim +
1002           \l__scripture_chap_sep_tl
1003         } ~
1004       \dim_eval:n
1005         {
1006           \linewidth + \leftmargin - \l__scripture_chap_width_dim -

```

```

1007         \l__scripture_chap_sep_tl
1008     } ~
1009     \dim_eval:n
1010     {
1011         \@totalleftmargin - \leftmargin + \l__scripture_chap_width_dim +
1012         \l__scripture_chap_sep_tl
1013     } ~
1014     \dim_eval:n
1015     {
1016         \linewidth + \leftmargin - \l__scripture_chap_width_dim -
1017         \l__scripture_chap_sep_tl
1018     } ~
1019     \@totalleftmargin ~ \linewidth
1020 }
1021 \tl_set:Nx \l__scripture_chap_sep_tl
1022 {
1023     \dim_eval:n
1024     {
1025         \l__scripture_chap_sep_tl + \l__scripture_hanging_parindent_saved_dim
1026     }
1027 }
1028 \par
1029 \__scripture_nohang:
1030 \hbox_set:Nn \l__scripture_chap_box
1031 {
1032     \box_move_down:nn
1033     { \baselineskip }
1034     {
1035         \hbox_overlap_left:n
1036         {
1037             \box_use:N \l__scripture_chap_tmp_box
1038             \skip_horizontal:N \l__scripture_chap_sep_tl
1039         }
1040     }
1041 }
1042 \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
1043 \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
1044 \group_begin:
1045 \hook_use:n { scripture / chap / before }
1046 \box_use:N \l__scripture_chap_box
1047 \hook_use:n { scripture / chap / after }
1048 \group_end:
1049 \bool_if:NT \l__scripture_chap_show_verse_bool
1050 {
1051     \__scripture_verse_output:n { 1 }
1052 }
1053 \hook_gput_next_code:nn { para / begin }
1054 { \parshape 1 ~ \@totalleftmargin ~ \linewidth }
1055 }

```

(End of definition for __scripture_hanging_chap:n.)

`__scripture_hanging_verse:n` Position a `\vs` in a hanging environment. The verse is set to overlap to the left if at the beginning of a hanging paragraph.

```

1056 \cs_new_protected:Nn \__scripture_hanging_verse:n
1057 {
1058   \mode_if_vertical:TF
1059   {
1060     \strut
1061     \hbox_overlap_left:n
1062     {
1063       \__scripture_verse_output:n { #1 }
1064     }
1065   }
1066   { \__scripture_verse_output:n { #1 } }
1067 }

```

(End of definition for __scripture_hanging_verse:n.)

`__scripture_nohang:` Don't hang a paragraph in a hanging environment. Instead the paragraph is indented by `\parindent` from its normal hanging position.

```

1068 \cs_new_protected_nopar:Nn \__scripture_nohang:
1069 {
1070   \noindent
1071   \hbox_to_wd:nn { \l__scripture_hanging_parindent_saved_dim } { }
1072 }

```

(End of definition for __scripture_nohang:.)

`__scripture_hanging_begin:n` Begin a hanging section in a scripture quotation.

```

1073 \cs_new_protected:Nn \__scripture_hanging_begin:n
1074 {
1075   \bool_if:NT \l__scripture_active_inner_bool
1076   {
1077     \msg_error:nn { scripture } { nested-environment }
1078   }
1079   \bool_set_true:N \l__scripture_active_inner_bool
1080   \tl_set:Nn \l__scripture_currenvir_str { hanging }
1081   \tl_if_novalue:nF { #1 }
1082   {
1083     \keys_set:nn
1084     { scripture / hanging }
1085     { #1 }
1086   }
1087   \DeclareDocumentCommand { \ch } { sm } { \__scripture_hanging_ch:n { ##2 } }
1088   \cs_set_eq:NN \vs \__scripture_hanging_verse:n
1089   \cs_set_eq:NN \nohang \__scripture_nohang:
1090   \dim_set_eq:NN \l__scripture_hanging_parindent_saved_dim \parindent
1091   \legacy_if:nTF { @newlist }
1092   { \dim_add:Nn \l__scripture_outer_itemindent_dim \itemindent }
1093   { \dim_zero:N \l__scripture_outer_itemindent_dim }
1094   \list { }
1095   {

```

Ignore `aboveskip` if at the beginning of a scripture environment.

```

1096     \dim_zero:N \labelsep
1097     \dim_set:Nn \leftmargin { \l__scripture_hanging_leftmargin_tl + \l__scripture_hanging_outer_itemindent_dim }
1098     \dim_set_eq:NN \rightmargin \l__scripture_hanging_rightmargin_tl
1099     \dim_set:Nn \itemindent { -\l__scripture_hanging_hang_tl - \l__scripture_outer_itemindent_dim }

```



```

1100     \dim_set:Nn \listparindent { -\l__scripture_hanging_hang_tl }
1101     \skip_set_eq:NN \parsep \parskip
1102     \skip_zero:N \partopsep
1103     \dim_compare:nNnTF \parskip > \l__scripture_hanging_aboveskip_tl
1104       { \skip_zero:N \topsep }
1105       { \skip_set:Nn \topsep { \__scripture_skip_diff:NN \l__scripture_hanging_aboveskip
1106         \__scripture_setup_list_noindent:n { -\l__scripture_hanging_hang_tl }
1107       }
1108     \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1109       { \addvspace { \baselineskip } }
1110     \int_gzero:N \g__scripture_chap_par_prevgraf_int
1111     \item
1112     \relax
1113   }

```

(End of definition for __scripture_hanging_begin:n.)

`__scripture_hanging_end:` End a hanging section in a scripture quotation.

```

1114 \cs_new_protected:Nn \__scripture_hanging_end:
1115 {
1116   \__scripture_calc_final_line_length:
1117   \dim_compare:nNnTF \@outerparskip > \l__scripture_hanging_belowskip_tl
1118     { \skip_zero:N \@topsepadd }
1119     { \skip_set:Nn \@topsepadd { \__scripture_skip_diff:NN \l__scripture_hanging_belowskip
1120       \skip_gset_eq:NN \g__scripture_prev_inner_below_skip \@topsepadd
1121       \legacy_if_set_false:n { @nparlist }
1122     \endlist
1123   }

```

(End of definition for __scripture_hanging_end:.)

3.5.4 The midparachap environment

`__scripture_vbox_set_top:Nw` Define missing `\vbox_set_top:Nw` function.

```

1124 \cs_new_protected:Npn \__scripture_vbox_set_top:Nw #1
1125 {
1126   \tex_setbox:D #1 \tex_vtop:D
1127   \c_group_begin_token
1128   \color_group_begin:
1129 }

```

(End of definition for __scripture_vbox_set_top:Nw.)

`\l__scripture_mid_para_chap_bool` Flag if setting a paragraph containing a mid-paragraph chapter.

```

1130 \bool_new:N \l__scripture_mid_para_chap_bool

```

(End of definition for \l__scripture_mid_para_chap_bool.)

`\l__scripture_mid_para_chap_line_box` Store last line before a mid-paragraph chapter.

```

1131 \box_new:N \l__scripture_mid_para_chap_line_box

```

(End of definition for \l__scripture_mid_para_chap_line_box.)

`\g__scripture_mid_para_chap_prevdepth_dim` Store the `\prevdepth` of the final paragraph in a midparachap environment.

```

1132 \dim_new:N \g__scripture_mid_para_chap_prevdepth_dim

```

(End of definition for `\g__scripture_mid_para_chap_prevdepth_dim`.)

`scripture_mid_para_chap_totalleftmargin_dim` Save the `\@totalleftmargin` before starting a `midparachap` environment.
1133 `\dim_new:N \l__scripture_mid_para_chap_totalleftmargin_dim`
(End of definition for `\l__scripture_mid_para_chap_totalleftmargin_dim`.)

`\g__scripture_mid_para_chap_prevgraf_int` Store the `\prevgraf` of the final paragraph in a `midparachap` environment.
1134 `\int_new:N \g__scripture_mid_para_chap_prevgraf_int`
(End of definition for `\g__scripture_mid_para_chap_prevgraf_int`.)

`\l__scripture_mid_para_chap_snap_box` Store unpacked last line before a mid-paragraph chapter.
1135 `\box_new:N \l__scripture_mid_para_chap_snap_box`
(End of definition for `\l__scripture_mid_para_chap_snap_box`.)

`\l__scripture_mid_para_chap_spacefactor_int` Store space factor before a mid-paragraph chapter.
1136 `\int_new:N \l__scripture_mid_para_chap_spacefactor_int`
(End of definition for `\l__scripture_mid_para_chap_spacefactor_int`.)

`\l__scripture_mid_para_chap_box` Boxes containing a paragraph with a chapter break and its split if needed.
`\l__scripture_mid_para_chap_split_box` 1137 `\box_new:N \l__scripture_mid_para_chap_box`
`\l__scripture_mid_para_chap_split_top_box` 1138 `\box_new:N \l__scripture_mid_para_chap_split_box`
1139 `\box_new:N \l__scripture_mid_para_chap_split_top_box`
(End of definition for `\l__scripture_mid_para_chap_box`, `\l__scripture_mid_para_chap_split_box`,
and `\l__scripture_mid_para_chap_split_top_box`.)

`__scripture_mid_para_drop_chap_output:` Output a mid-paragraph drop chapter.
1140 `\cs_new_protected:Nn __scripture_mid_para_drop_chap_output:`
1141 `{`
1142 `\unskip`
1143 `\int_set_eq:NN \l__scripture_mid_para_chap_spacefactor_int \spacefactor`
1144 `\strut`
1145 `\par`
1146 `\box_set_to_last:N \l__scripture_mid_para_chap_line_box`
1147 `\hbox_set:Nn \l__scripture_mid_para_chap_snap_box`
1148 `{`
1149 `\hbox_unpack_drop:N \l__scripture_mid_para_chap_line_box`
1150 `\unskip`
1151 `\unskip`
1152 `\unpenalty`
1153 `}`
1154 `\nointerlineskip`
1155 `\dim_compare:nNnTF`
1156 `{`
1157 `\box_wd:N \l__scripture_mid_para_chap_snap_box +`
1158 `\l__scripture_chap_width_dim +`
1159 `\l__scripture_chap_sep_tl`
1160 `}`
1161 `<`
1162 `{ \linewidth - \leftskip - \rightskip - 3 em }`
1163 `{`

```

1164     \__scripture_drop_chap_output:
1165     \hbox_unpack_drop:N \l__scripture_mid_para_chap_snap_box
1166     \int_set_eq:NN \spacefactor \l__scripture_mid_para_chap_spacefactor_int
1167     \c_space_tl
1168     \__scripture_verse_output:n { 1 }
1169   }
1170   {
1171     \group_begin:
1172     \noindent
1173     \skip_horizontal:n { -\leftskip }
1174     \hbox_unpack_drop:N \l__scripture_mid_para_chap_snap_box
1175     \skip_zero:N \parfillskip
1176     \par
1177     \group_end:
1178     \__scripture_drop_chap_output:
1179     \bool_if:NT \l__scripture_midparachap_show_verse_bool
1180       {
1181         \__scripture_verse_output:n { 1 }
1182       }
1183   }
1184 }

```

(End of definition for __scripture_mid_para_drop_chap_output:.)

__scripture_mid_para_chap_begin:n Begin a paragraph containing a mid-paragraph chapter.

```

1185 \cs_new_protected:Nn \__scripture_mid_para_chap_begin:n
1186 {
1187   \tl_set:Nn \l__scripture_currenvir_str { midparachap }
1188   \tl_if_novalue:nF { #1 }
1189     {
1190       \keys_set:nn
1191         { scripture / midparachap }
1192         { #1 }
1193     }
1194   \bool_lazy_and:nnT
1195     { \bool_if_p:n \l__scripture_chap_show_verse_bool }
1196     { \bool_if_p:n \l__scripture_chap_drop_bool }
1197     {
1198       \bool_set_true:N \l__scripture_midparachap_show_verse_bool
1199       \bool_set_false:N \l__scripture_chap_show_verse_bool
1200     }
1201   \par
1202   \bool_set_true:N \l__scripture_mid_para_chap_bool
1203   \__scripture_vbox_set_top:Nw \l__scripture_mid_para_chap_box
1204   \dim_zero:N \leftskip
1205   \dim_zero:N \rightskip
1206   \dim_set_eq:NN \l__scripture_mid_para_chap_totalleftmargin_dim \@totalleftmargin
1207   \dim_zero:N \@totalleftmargin
1208   \dim_set_eq:NN \hsize \linewidth
1209   \skip_zero:N \parskip
1210 }

```

(End of definition for __scripture_mid_para_chap_begin:n.)

`_scripture_mid_para_chap_end:` End a paragraph containing a mid-paragraph chapter.

```
1211 \cs_new_protected:Nn \_scripture_mid_para_chap_end:
1212 {
1213   \par
1214   \dim_gset_eq:NN \g__scripture_mid_para_chap_prevdepth_dim \prevdepth
1215   \box_set_to_last:N \l__scripture_mid_para_chap_line_box
1216   \hbox_set:Nn \l__scripture_mid_para_chap_snap_box
1217     {
1218       \hbox_unpack:N \l__scripture_mid_para_chap_line_box
1219       \unskip
1220       \unskip
1221       \unpenalty
1222     }
1223   \dim_gset:Nn \g__scripture_final_line_dim
1224     { \box_wd:N \l__scripture_mid_para_chap_snap_box + \l__scripture_mid_para_chap_totalle
1225     \box_clear:N \l__scripture_mid_para_chap_snap_box
1226     \nointerlineskip
1227     \int_compare:nNnT
1228       \prevgraf < 3
1229       {
1230         \noindent
1231         \skip_horizontal:n { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1232         \dim_gadd:Nn \g__scripture_final_line_dim { \l__scripture_chap_width_dim + \l__scrip
1233       }
1234   \box_use_drop:N \l__scripture_mid_para_chap_line_box
1235   \vbox_set_end:
```

Attempt to allow the mid-paragraph chapter box to break across pages.

```
1236   \mode_if_inner:TF
1237     {
1238       \noindent
1239       \vbox_use_drop:N \l__scripture_mid_para_chap_box
1240     }
1241     {
1242       \dim_compare:nNnTF
1243         { \box_ht_plus_dp:N \l__scripture_mid_para_chap_box }
1244         >
1245         { \pagegoal - \pagetotal - \baselineskip }
1246         {
1247           \int_set:Nn \vbadness { 10000 }
1248           \vbox_set_split_to_ht:NNn
1249             \l__scripture_mid_para_chap_split_box \l__scripture_mid_para_chap_box
1250             { \pagegoal - \pagetotal - \baselineskip }
1251           \vbox_set_top:Nn \l__scripture_mid_para_chap_split_top_box
1252             { \vbox_unpack_drop:N \l__scripture_mid_para_chap_split_box }
1253           \noindent
1254           \box_use_drop:N \l__scripture_mid_para_chap_split_top_box
1255           \goodbreak
1256           \box_use_drop:N \l__scripture_mid_para_chap_box
1257         }
1258         {
1259           \noindent
1260           \box_use_drop:N \l__scripture_mid_para_chap_box
1261         }
1261     }
```

```

1262     }
1263     \par
1264     \dim_set_eq:NN \prevdepth \g__scripture_mid_para_chap_prevdepth_dim
1265     \int_zero:N \prevgraf
1266     \skip_vertical:n { -\parskip - \baselineskip }
1267     \noindent
1268     \skip_horizontal:N \g__scripture_final_line_dim
1269     \int_gset_eq:NN \g__scripture_chap_par_prevgraf_int \g__scripture_mid_para_chap_prevgraf
1270     \hook_gput_next_code:nn { para / before }
1271     {
1272         \int_gzero:N \g__scripture_chap_par_prevgraf_int
1273         \parshape 1 ~ \@totalleftmargin ~ \linewidth
1274     }
1275 }

```

(End of definition for `__scripture_mid_para_chap_end:.`)

3.5.5 The narrow environment

`__scripture_narrow_begin:n` Begin a narrow section in a scripture quotation.

```

1276 \cs_new_protected:Nn \__scripture_narrow_begin:n
1277 {
1278     \bool_if:NT \l__scripture_active_inner_bool
1279     {
1280         \msg_error:nn { scripture } { nested-environment }
1281     }
1282     \bool_set_true:N \l__scripture_active_inner_bool
1283     \tl_set:Nn \l__scripture_currenvir_str { narrow }
1284     \tl_if_novalue:nF { #1 }
1285     {
1286         \keys_set:nn
1287             { scripture / narrow }
1288             { #1 }
1289     }
1290     \legacy_if:nTF { @newlist }
1291     { \dim_add:Nn \l__scripture_outer_itemindent_dim \itemindent }
1292     { \dim_zero:N \l__scripture_outer_itemindent_dim }
1293     \list { }
1294     {

```

Ignore `aboveskip` if at the beginning of a scripture environment.

```

1295         %\int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1296         % { \addvspace { \baselineskip } }
1297         %\int_gzero:N \g__scripture_chap_par_prevgraf_int
1298         \dim_zero:N \labelsep
1299         \dim_set_eq:NN \leftmargin \l__scripture_narrow_leftmargin_tl
1300         \dim_set_eq:NN \rightmargin \l__scripture_narrow_rightmargin_tl
1301         \dim_set_eq:NN \listparindent \parindent
1302         \mode_if_vertical:TF
1303         {
1304             \dim_set:Nn \itemindent { \parindent - \l__scripture_outer_itemindent_dim }
1305             \__scripture_setup_list_noindent:n { \parindent }
1306         }
1307         {
1308             \dim_set:Nn \itemindent { -\l__scripture_outer_itemindent_dim }

```

```

1309         \_scripture_setup_list_noindent:n { \c_zero_dim }
1310     }
1311     \skip_set_eq:NN \parsep \parskip
1312     \skip_zero:N \partopsep
1313     \dim_compare:nNnTF \parskip > \l__scripture_narrow_aboveskip_tl
1314     { \skip_zero:N \topsep }
1315     { \skip_set:Nn \topsep { \_scripture_skip_diff:NN \l__scripture_narrow_aboveskip_
1316     }
1317     \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1318     { \addvspace { \baselineskip } }
1319     \int_gzero:N \g__scripture_chap_par_prevgraf_int
1320     \item
1321     \relax
1322 }

```

(End of definition for `_scripture_narrow_begin:n`.)

`_scripture_narrow_end:` End a narrow section in a scripture quotation.

```

1323 \cs_new_protected:Nn \_scripture_narrow_end:
1324 {
1325     \_scripture_calc_final_line_length:
1326     \dim_compare:nNnTF \@outerparskip > \l__scripture_narrow_belowskip_tl
1327     { \skip_zero:N \@topsepadd }
1328     { \skip_set:Nn \@topsepadd { \_scripture_skip_diff:NN \l__scripture_narrow_belowskip_
1329     \skip_gset_eq:NN \g__scripture_prev_inner_below_skip \@topsepadd
1330     \legacy_if_set_false:n { @nparlist }
1331     \endlist
1332 }

```

(End of definition for `_scripture_narrow_end:`.)

3.5.6 The poetry environment

`scripture/poetry/para/after` This hook is an internal hook used to adjust the `\parshape` within a poetry environment after drop chapter numbers.

```

1333 \hook_new:n { scripture / poetry / para / after }

```

(End of definition for `scripture/poetry/para/after`. This variable is documented on page ??.)

`\g__scripture_poetry_end_bool` Flag indicating that a poetry environment just ended.

```

1334 \bool_new:N \g__scripture_poetry_end_bool

```

(End of definition for `\g__scripture_poetry_end_bool`.)

`scripture_poetry_midparachap_show_verse_bool` Flag indicating whether the verse number should be printed immediately after a `\ch` or not in a poetry environment.

```

1335 \bool_new:N \g__scripture_poetry_midparachap_show_verse_bool

```

(End of definition for `\g__scripture_poetry_midparachap_show_verse_bool`.)

`\l__scripture_poetry_chap_indent_dim` Store calculated indent and sep when a drop chapter appears in a poetry environment.

```

\l__scripture_poetry_chap_sep_dim 1336 \dim_new:N \l__scripture_poetry_chap_indent_dim

```

```

1337 \dim_new:N \l__scripture_poetry_chap_sep_dim

```

(End of definition for `\l__scripture_poetry_chap_indent_dim` and `\l__scripture_poetry_chap_sep_dim`.)

ripture_poetry_chap_parshape_correction_dim Correction to \parshape in chapter affected lines in a poetry environment.

```

1338 \dim_new:N \l__scripture_poetry_chap_parshape_correction_dim

```

(End of definition for \l__scripture_poetry_chap_parshape_correction_dim.)

\l__scripture_poetry_prevgraf_int Store the number of lines a line of poetry takes up.

```

1339 \int_new:N \l__scripture_poetry_prevgraf_int

```

(End of definition for \l__scripture_poetry_prevgraf_int.)

__scripture_poetry_extra_skip: Insert a little extra vertical space between two lines in a poetry environment.

```

1340 \cs_new_protected:Nn \__scripture_poetry_extra_skip:
1341 {
1342   \skip_vertical:n { \l__scripture_extraskip_tl - \baselineskip - \parskip }
1343   \bool_gset_false:N \g__scripture_poetry_midparachap_show_verse_bool
1344   \strut
1345   \hook_gput_next_code:nn { para / after }
1346   {
1347     \hook_gput_next_code:nn { para / after }
1348     {
1349       \bool_gset_eq:NN
1350         \g__scripture_poetry_midparachap_show_verse_bool
1351         \l__scripture_midparachap_show_verse_bool
1352     }
1353   }
1354 }

```

(End of definition for __scripture_poetry_extra_skip:.)

__scripture_poetry_text_right:nn Align a word to the right and finish a paragraph, pushing to the next line if there is not space for the word.

```

1355 \cs_new_protected:Nn \__scripture_poetry_text_right:nn
1356 {
1357   {
1358     \unskip
1359     \hfil
1360     \penalty 50
1361     \skip_horizontal:n { #1 }
1362     \hbox:n {}
1363     \nobreak
1364     \hfill
1365     #2
1366     \skip_zero:N \parfillskip
1367     \int_zero:N \finalhyphendemerits
1368   }
1369 }

```

(End of definition for __scripture_poetry_text_right:nn.)

__scripture_selah_output: Output Selah at the end of a line.

```

1370 \cs_new_protected:Nn \__scripture_selah_output:
1371 {
1372   \group_begin:
1373   \l__scripture_selah_font_tl
1374   \__scripture_poetry_text_right:nn

```

```

1375     { \l__scripture_selah_sep_tl }
1376     { \__scripture_selah_format:n { \l__scripture_selah_text_tl } }
1377   \group_end:
1378 }

```

(End of definition for `__scripture_selah_output:.`)

`__scripture_poetry_ch:n` Position a chapter in a poetry environment.

```

1379 \cs_new_protected:Nn \__scripture_poetry_ch:n
1380 {
1381   \bool_if:NTF \l__scripture_chap_show_bool
1382   {
1383     \bool_if:NTF \l__scripture_chap_drop_bool
1384     { \__scripture_poetry_chap:n { #1 } }
1385     { \__scripture_poetry_nodrop_chap:n { #1 } }
1386   }
1387   { \__scripture_poetry_nodrop_chap:n { #1 } }
1388 }

```

(End of definition for `__scripture_poetry_ch:n.`)

`__scripture_poetry_chap:n` Position a drop chapter in a poetry environment.

```

1389 \cs_new_protected:Nn \__scripture_poetry_chap:n
1390 {
1391   \__scripture_drop_chap_set_up:n { #1 }
1392   \mode_if_vertical:TF
1393   {
1394     \dim_set_eq:NN \l__scripture_poetry_chap_indent_dim \l__scripture_poetry_indent_tl
1395     \mode_leave_vertical:
1396   }
1397   { \dim_zero:N \l__scripture_poetry_chap_indent_dim }
1398   \dim_set_eq:NN \l__scripture_poetry_chap_sep_dim \l__scripture_chap_sep_tl
1399   \dim_compare:nNnT
1400   { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1401   <
1402   { \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_chap_indent_dim }
1403   {
1404     \dim_set:Nn \l__scripture_poetry_chap_sep_dim
1405     {
1406       \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_chap_indent_dim -
1407       \l__scripture_chap_width_dim
1408     }
1409   }
1410   \hbox_set:Nn \l__scripture_chap_box
1411   {
1412     \box_move_down:nn
1413     { \baselineskip }
1414     {
1415       \hbox_overlap_left:n
1416       {
1417         \box_use:N \l__scripture_chap_tmp_box
1418         \skip_horizontal:N \l__scripture_poetry_chap_sep_dim
1419       }
1420     }
1421   }

```



```

1422 \box_set_ht:Nn \l__scripture_chap_box { \c_zero_dim }
1423 \box_set_dp:Nn \l__scripture_chap_box { \c_zero_dim }
1424 \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1425 {
1426   \l__scripture_chap_width_dim + \l__scripture_poetry_chap_sep_dim -
1427   \l__scripture_poetry_leftmargin_tl - \l__scripture_poetry_chap_indent_dim
1428 }
1429 \parshape 2 ~
1430 \dim_eval:n
1431 { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim } ~
1432 \dim_eval:n
1433 { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1434 \dim_eval:n
1435 { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1436 \dim_eval:n
1437 { \linewidth - \l__scripture_poetry_big_indent_tl }

```

Because of interactions with L^AT_EX list environments and `__scripture_obeylines:`, `__scripture_poetry_par:` setting the `\parshape` for the second line after a drop chapter number is more difficult than it should be. There's probably a better way.

```

1438 \dim_compare:nNnT
1439 { \l__scripture_chap_width_dim + \l__scripture_poetry_chap_sep_dim }
1440 >
1441 \l__scripture_poetry_leftmargin_tl
1442 {
1443   \hook_gput_next_code:nn { scripture / poetry / para / after }
1444   {
1445     \int_compare:nNnT \l__scripture_poetry_prevgraf_int = 1
1446     {

```

This `\parshape` is in effect when the next line is the second half of a poetry verse.

```

1447 \dim_compare:nNnTF
1448 { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1449 <
1450 { \l__scripture_poetry_leftmargin_tl + \l__scripture_poetry_indent_tl }
1451 { \dim_zero:N \l__scripture_poetry_chap_parshape_correction_dim }
1452 {
1453   \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1454   {
1455     \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl -
1456     \l__scripture_poetry_leftmargin_tl - \l__scripture_poetry_indent_tl
1457   }
1458 }
1459 \parshape 2 ~
1460 \dim_eval:n
1461 { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim }
1462 \dim_eval:n
1463 { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1464 \dim_eval:n
1465 { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1466 \dim_eval:n
1467 { \linewidth - \l__scripture_poetry_big_indent_tl }
1468 \hook_gput_next_code:nn { para / after }
1469 {
1470   \hook_gclear_next_code:n { scripture / poetry / para / after }

```

```

1471     }
1472     \hook_gput_next_code:nn { scripture / poetry / para / after }
1473     {

```

This `\parshape` is in effect when the next line is the first half of a poetry verse.

```

1474     \dim_compare:nNnTF
1475     { \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl }
1476     <
1477     \l__scripture_poetry_leftmargin_tl
1478     { \dim_zero:N \l__scripture_poetry_chap_parshape_correction_dim }
1479     {
1480     \dim_set:Nn \l__scripture_poetry_chap_parshape_correction_dim
1481     {
1482     \l__scripture_chap_width_dim + \l__scripture_chap_sep_tl -
1483     \l__scripture_poetry_leftmargin_tl
1484     }
1485     }
1486     \parshape 2 ~
1487     \dim_eval:n
1488     { \@totalleftmargin + \l__scripture_poetry_chap_parshape_correction_dim }
1489     \dim_eval:n
1490     { \linewidth - \l__scripture_poetry_chap_parshape_correction_dim } ~
1491     \dim_eval:n
1492     { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1493     \dim_eval:n
1494     { \linewidth - \l__scripture_poetry_big_indent_tl }
1495     }
1496     }
1497     }
1498     }
1499     \group_begin:
1500     \hook_use:n { scripture / chap / before }
1501     \box_use:N \l__scripture_chap_box
1502     \hook_use:n { scripture / chap / after }
1503     \group_end:
1504     \bool_lazy_or:nnT
1505     { \bool_if_p:n \l__scripture_chap_show_verse_bool }
1506     { \bool_if_p:n \g__scripture_poetry_midparachap_show_verse_bool }
1507     {
1508     \__scripture_verse_output:n { 1 }
1509     }
1510     }

```

(End of definition for `__scripture_poetry_chap:n`.)

`__scripture_poetry_nodrop_chap:n` Format a non-drop chapter for poetry environment in a `scripture` quotation.

```

1511 \cs_new_protected:Nn \__scripture_poetry_nodrop_chap:n
1512 {
1513   \cs_gset_nopar:Npn \scripturecurrentchapter { #1 }
1514   \cs_gset_nopar:Npn \scripturecurrentverse { 1 }
1515   \group_begin:
1516   \bool_if:NTF \l__scripture_chap_show_bool
1517   {
1518     \hbox_overlap_left:n
1519     {

```

```

1520         \hook_use:n { scripture / chap / before }
1521     \group_begin:
1522         \l__scripture_chap_font_tl
1523         \str_if_eq:VnF \l__scripture_chapter_colour_tl { . }
1524         { \exp_args:NV \color_select:n \l__scripture_chapter_colour_tl }
1525         \__scripture_chap_format:n { #1 }
1526     \group_end:
1527     \skip_horizontal:N \l__scripture_chap_sep_tl
1528     \hook_use:n { scripture / chap / after }
1529 }
1530 \bool_lazy_or:nnT
1531 { \bool_if_p:n \l__scripture_chap_show_verse_bool }
1532 { \bool_if_p:n \g__scripture_poetry_midparachap_show_verse_bool }
1533 {
1534     \__scripture_verse_output:n { 1 }
1535 }
1536 }
1537 {
1538     \hook_use:n { scripture / chap / before }
1539     \hook_use:n { scripture / chap / after }
1540     \vs { 1 }
1541 }
1542 \group_end:
1543 }

```

(End of definition for __scripture_poetry_nodrop_chap:n.)

`__scripture_poetry_mode_vertical_verse:n` Format a verse for poetry scripture quotations in vertical and horizontal mode.

```

1544 \cs_new_protected:Nn \__scripture_poetry_mode_vertical_verse:n
1545 {
1546     \group_begin:
1547     \tl_set_eq:NN \l__scripture_verse_sep_tl \l__scripture_poetry_verse_sep_tl
1548     \strut
1549     \bool_if:NTF \l__scripture_poetry_verse_right_bool
1550     {
1551         \hbox_overlap_left:n
1552         {
1553             \__scripture_verse_output:n { #1 }
1554         }
1555     }
1556     {
1557         \hbox_overlap_left:n
1558         {
1559             \hbox_overlap_right:n
1560             {
1561                 \__scripture_verse_output:n { #1 }
1562             }
1563             \skip_horizontal:N \l__scripture_poetry_leftmargin_tl
1564         }
1565     }
1566     \group_end:
1567 }
1568 \cs_new_protected:Nn \__scripture_poetry_mode_horizontal_verse:n
1569 {

```

```

1570 \group_begin:
1571 \tl_set_eq:NN \l__scripture_verse_sep_tl \l__scripture_poetry_verse_sep_tl
1572 \skip_horizontal:n { -\listparindent }
1573 \__scripture_poetry_mode_vertical_verse:n { #1 }
1574 \skip_horizontal:N \listparindent
1575 \group_end:
1576 }

```

(End of definition for __scripture_poetry_mode_vertical_verse:n.)

__scripture_poetry_par: par macro for poetry sections

```

1577 \cs_new_protected:Nn \__scripture_poetry_par:
1578 {
1579   \mode_if_vertical:TF
1580   {
1581     \cs_set_eq:NN \vs \__scripture_poetry_mode_vertical_verse:n
1582     \noindent
1583   }
1584   {
1585     \cs_set_eq:NN \vs \__scripture_poetry_mode_horizontal_verse:n
1586     \__scripture_tmp_para_end:
1587     \int_set_eq:NN \l__scripture_poetry_prevgraf_int \prevgraf
1588   }
1589   \parshape 2 ~
1590   \@totalleftmargin ~
1591   \linewidth ~
1592   \dim_eval:n
1593   { \@totalleftmargin + \l__scripture_poetry_big_indent_tl } ~
1594   \dim_eval:n
1595   { \linewidth - \l__scripture_poetry_big_indent_tl }
1596   \hook_use:n { scripture / poetry / para / after }
1597 }

```

(End of definition for __scripture_poetry_par:.)

__scripture_obeylines: Special version of obeylines which doesn't insert par at end of environment.

```

1598 \group_begin:
1599 \char_set_catcode_active:N \^M
1600 \cs_gset_protected_nopar:Nn \__scripture_obeylines: %
1601 {%
1602   \char_set_catcode_active:N \^M%
1603   \cs_set_eq:NN \^M \__scripture_obeylines_end:%
1604 }%
1605 \group_end:
1606 \cs_new_protected:Nn \__scripture_obeylines_end:
1607 {
1608   \peek_meaning:NF \end
1609   {
1610     \par
1611     \int_set:Nn \l__scripture_poetry_prevgraf_int { \int_use:N \prevgraf }
1612   }
1613 }

```

(End of definition for __scripture_obeylines:.)

`__scripture_poetry_begin:` Begin a poetry section in a scripture quotation.

```
1614 \cs_new_protected:Nn \__scripture_poetry_begin:
1615 {
1616   \bool_if:NT \l__scripture_active_inner_bool
1617     {
1618       \msg_error:nn { scripture } { nested-environment }
1619     }
1620   \bool_set_true:N \l__scripture_active_inner_bool
1621   \tl_set:Nn \l__scripture_currenvir_str { poetry }
1622   \bool_gset_false:N \g__scripture_poetry_midparachap_show_verse_bool
1623   \DeclareDocumentCommand { \ch } { sm } { \__scripture_poetry_ch:n { ##2 } }
1624   \cs_set_eq:NN \vs \__scripture_poetry_mode_vertical_verse:n
1625   \cs_set_eq:NN \extraskip \__scripture_poetry_extra_skip:
1626   \cs_set_eq:NN \selah \__scripture_selah_output:
1627   \cs_set_protected_nopar:Npn \textright ##1
1628     { \__scripture_poetry_text_right:nn { \l__scripture_text_right_sep_tl } { ##1 } }
1629   \legacy_if:nTF { @newlist }
1630     { \dim_add:Nn \l__scripture_outer_itemindent_dim \itemindent }
1631     { \dim_zero:N \l__scripture_outer_itemindent_dim }
1632   \list { }
1633     {
1634       \dim_zero:N \labelsep
1635       \dim_set_eq:NN \leftmargin \l__scripture_poetry_leftmargin_tl
1636       \dim_set_eq:NN \rightmargin \l__scripture_poetry_rightmargin_tl
1637       \dim_set:Nn \itemindent { \l__scripture_poetry_indent_tl - \l__scripture_outer_itemindent_dim }
1638       \dim_set_eq:NN \listparindent \l__scripture_poetry_indent_tl
1639       \skip_zero:N \parsep
1640       \skip_zero:N \partopsep
1641       \dim_compare:nNnTF \parskip > { \l__scripture_poetry_aboveskip_tl }
1642         { \skip_zero:N \topsep }
1643         { \skip_set:Nn \topsep { \__scripture_skip_diff:NN \l__scripture_poetry_aboveskip_tl } }
1644       \__scripture_setup_list_noindent:n { \l__scripture_poetry_indent_tl }
1645     }
1646   \int_compare:nNnT \g__scripture_chap_par_prevgraf_int = 1
1647     { \addvspace { \baselineskip } }
1648   \int_gzero:N \g__scripture_chap_par_prevgraf_int
1649   \raggedright
1650   \dim_set_eq:NN \parindent \l__scripture_poetry_indent_tl
1651   \item
1652   \relax
1653   \cs_set_eq:NN \__scripture_tmp_para_end: \par
1654   \cs_set_eq:NN \par \__scripture_poetry_par:
1655   \hook_gput_next_code:nn { para / after }
1656     { \bool_gset_eq:NN \g__scripture_poetry_midparachap_show_verse_bool \l__scripture_midparachap_show_verse_bool }
1657 }
```

(End of definition for `__scripture_poetry_begin:`.)

`__scripture_poetry_end:` End a poetry section in a scripture quotation.

```
1658 \cs_new_protected:Nn \__scripture_poetry_end:
1659 {
1660   \__scripture_calc_final_line_length:
1661   \dim_compare:nNnTF \@outerparskip > { \l__scripture_poetry_belowskip_tl }
1662     { \skip_zero:N \@topsepadd }
```

```

1663     { \skip_set:Nn \@topsepadd { \_scripture_skip_diff:NN \l\_scripture_poetry_belowskip
1664     \skip_gset_eq:NN \g\_scripture_prev_inner_below_skip \@topsepadd
1665     \legacy_if_set_false:n { @noparlist }
1666     \endlist
1667     \bool_gset_true:N \g\_scripture_poetry_end_bool
1668     \hook_gput_next_code:nn { para / begin }
1669     { \bool_gset_false:N \g\_scripture_poetry_end_bool }
1670   }

```

(End of definition for `_scripture_poetry_end:`.)

3.6 Public L^AT_EX Interface

`\scripturecurrentchapter` Globally stores the most recent argument of `\ch` and `\vs`. These could be used in hooks, `\scripturecurrentverse` for example.

```

1671 \cs_set_nopar:Npn \scripturecurrentchapter { }
1672 \cs_set_nopar:Npn \scripturecurrentverse { }

```

(End of definition for `\scripturecurrentchapter` and `\scripturecurrentverse`. These functions are documented on page 6.)

`\scripturesetup` #1 : `<options>` to set.
Set key-value settings.

```

1673 \NewDocumentCommand { \scripturesetup } { m }
1674 {
1675   \keys_set:nn { scripture } { #1 }
1676 }

```

(End of definition for `\scripturesetup`. This function is documented on page 6.)

`\scripturestyle` #1 : `<name>` of the style.
#2 : `<options>` to set for the style.
Set key-value settings to be applied when using the `style` option with value `name`.
The starred version appends the options to any existing ones.

```

1677 \NewDocumentCommand { \scripturestyle } { s m m }
1678 {
1679   \_scripture_setup_style:nnn { #1 } { #2 } { #3 }
1680 }

```

(End of definition for `\scripturestyle`. This function is documented on page 6.)

`\textscripture` #1 : `<reference>` of quotation.
#2 : `<options>` to set.
#3 : `<quotation>` text.
Set an inline quotation. This is equivalent to calling the `scripture` environment with the `inline` option set.

```

1681 \NewDocumentCommand { \textscripture } { o o +m }
1682 {
1683   \tl_if_novalue:nTF { #2 }
1684   {
1685     \begin { scripture } [ #1 ] [ inline ]
1686   }
1687   {
1688     \begin { scripture } [ #1 ] [ inline, #2 ]

```

```

1689     }
1690     #3
1691     \end { scripture }
1692 }

```

(End of definition for `\textscripture`. This function is documented on page 7.)

scripture #1 : <reference> of quotation.
#2 : <options> to set.
Format a scripture quotation with optional reference.

```

1693 \NewDocumentEnvironment { scripture } { o o }
1694 {
1695     \__scripture_begin:n { #2 }

```

#1 : <options> to set.

center

```

1696     \DeclareDocumentEnvironment { center } { o }
1697     {
1698         \__scripture_center_begin:n { ##1 }
1699         \ignorespaces
1700     }
1701     { \__scripture_center_end: }

```

#1 : <options> to set.

flushright

```

1702     \DeclareDocumentEnvironment { flushright } { o }
1703     {
1704         \__scripture_flushright_begin:n { ##1 }
1705         \ignorespaces
1706     }
1707     { \__scripture_flushright_end: }

```

#1 : <options> to set.

hanging

```

1708     \DeclareDocumentEnvironment { hanging } { o }
1709     {
1710         \__scripture_hanging_begin:n { ##1 }
1711         \ignorespaces
1712     }
1713     { \__scripture_hanging_end: }

```

midparachap

```

1714     \DeclareDocumentEnvironment { midparachap } { o }
1715     {
1716         \__scripture_mid_para_chap_begin:n { ##1 }
1717         \ignorespaces
1718     }
1719     { \__scripture_mid_para_chap_end: }

```

#1 : <options> to set.

narrow

```

1720     \DeclareDocumentEnvironment { narrow } { o }
1721     {
1722         \__scripture_narrow_begin:n { ##1 }
1723         \ignorespaces
1724     }
1725     { \__scripture_narrow_end: }

```

#1 : <options> to set.

poetry The poetryaux environment is required because `_scripture_obeylines`: breaks the reading of optional arguments.

```
1726 \DeclareDocumentEnvironment { poetryaux } { o }
1727 {
1728   \tl_if_novalue:nF { ##1 }
1729   {
1730     \keys_set:nn
1731       { scripture / poetry }
1732       { ##1 }
1733   }
1734   \__scripture_poetry_begin:
1735   \ignorespaces
1736 }
1737 { \__scripture_poetry_end: }
1738 \DeclareDocumentEnvironment { poetry } { }
1739 {
1740   \__scripture_obeylines:
1741   \poetryaux
1742 }
1743 { \endpoetryaux }

1744 \bool_if:NT \l__scripture_inline_bool
1745 {
1746   \tl_set:Nn \l__scripture_aboveskip_tl { Opt }
1747   \tl_set:Nn \l__scripture_belowskip_tl { Opt }
1748   \tl_set:Nn \l__scripture_leftmargin_tl { Opt }
1749   \tl_set:Nn \l__scripture_rightmargin_tl { Opt }
1750   \cs_set_eq:NN \__scripture_ref_format:n \__scripture_inline_ref_format:n
1751   \tl_set_eq:NN \l__scripture_ref_sep_tl \l__scripture_inline_ref_sep_tl
1752   \cs_set_eq:NN \__scripture_version_format:n \__scripture_inline_version_format:n
1753   \tl_set_eq:NN \l__scripture_version_delim_tl \l__scripture_inline_version_delim_tl
1754   \bool_set_true:N \l__scripture_compact_bool
1755 }
1756 \bool_if:NT \l__scripture_compact_bool
1757 {
1758   \scripturesetup { chapter / nodrop }
1759   \RenewDocumentEnvironment { center } { o } { \ignorespaces } { \unskip }
1760   \RenewDocumentEnvironment { flushright } { o } { \ignorespaces } { \unskip }
1761   \RenewDocumentEnvironment { hanging } { o } { \ignorespaces } { \unskip }
1762   \RenewDocumentEnvironment { midparachap } { o } { \ignorespaces } { \unskip }
1763   \RenewDocumentEnvironment { narrow } { o } { \ignorespaces } { \unskip }
1764   \RenewDocumentEnvironment { poetry } { o } { \ignorespaces } { \unskip }
1765   \cs_set_eq:NN \ \unskip
1766   \cs_set_eq:NN \par \relax
1767   \cs_set_eq:NN \extraskip \relax
1768   \cs_set_eq:NN \nohang \relax
1769   \cs_set:Npn \selah
1770   {
1771     \group_begin:
1772     \l__scripture_selah_font_tl
1773     \c_space_tl
1774     \__scripture_selah_format:n { \l__scripture_selah_text_tl }
1775     \c_space_tl
```



```

1776     \group_end:
1777   }
1778   \cs_set_protected_nopar:Npn \textright ##1
1779   {
1780     \unskip
1781     \c_space_tl
1782     ##1
1783   }
1784   \mode_leave_vertical:
1785 }
1786 \ignorespaces
1787 }
1788 {
1789   \bool_if:NT \l__scripture_compact_bool
1790   { \cs_set_eq:NN \par \endgraf }
1791   \__scripture_end:n { #1 }
1792 }

```

(End of definition for *scripture* and others. These functions are documented on page 10.)

```
1793 </package>
```

Change History

v1.0		Add language option	14
	General: First public release	Add name/font option	15
v1.1		Add name/format option	15
	General: Add	Add redletter/colour option . . .	15
	\scripturecurrentchapter and	Add redletter option	15
	\scripturecurrentverse	Add reference/colour option . . .	16
	variables	Add textright/sep option	17
	Add \selah function	Add verse/colour option	17
	Add chapter/format option	Add divine name feature	4
	Add chapter/hide option	Add red letter feature	5
	Add chapter/showverse option . .	Bug fixes	1
	Add chapter/show option		
	Add compact option	v1.3	
	Add poetry/verse/left option . .	General: Add \nofirstverse function	5
	Add poetry/verse/right option . .	Add \textscripture function	7
	Add poetry/verse/sep option . . .	Add added/font option	11
	Add verse/hide option	Add added/format option	11
	Add verse/sep option with small	Add inline/begin option	14
	default	Add inline/end option	14
	Add verse/show option	Add inline option	14
	Add before and after hooks for	Add reference/align option	16
	verses and chapters	Add reference/newline option . .	16
	Bug fixes	Add verse/firstformat option . .	17
		Add verse/firstsep option	17
v1.2		Add verse/first option	17
	General: Add \textright function . . .	Add feature to highlight translator	
	Add chapter/colour option	added words	3
	Add colour option	Bug fixes	1
	Add language/variant option . . .	Remove reference/delim option . .	11

v2.0	
General: Add <code>\scripturestyle</code>	
function	6
Add inline/reference/format	
option	14
Add inline/reference/sep option	14
Add inline/version/delim option	14
Add inline/version/format	
option	14
Add style option	17
Bug fixes	1
Switch <code>scripture</code> to a L ^A T _E X list	
based environment	1

Index

The italic numbers denote the pages where the corresponding entry is described, numbers underlined point to the definition, all others indicate the places where it is used.

Symbols	
<code>\,</code>	84, 87
<code>\\</code>	8, 1765
<code>\^</code>	1599, 1602
A	
<code>\abovedisplayskip</code>	683, 684
<code>\abovedisplayskip</code>	684
<code>aboveskip</code> (option)	7, 11, 43, 44, 47, 52
<code>\added</code>	3, 11, 776
<code>added/font</code> (option)	3, 11, 64
<code>added/format</code> (option)	3, 11, 64
<code>\addvspace</code>	352,
	356, 911, 959, 1109, 1296, 1318, 1647
B	
<code>\baselineskip</code>	350,
	352, 417, 421, 520, 608, 683, 703,
	911, 959, 1033, 1109, 1245, 1250,
	1266, 1296, 1318, 1342, 1413, 1647
<code>\begin</code>	1685, 1688
<code>\belowdisplayshortskip</code>	685
<code>\belowdisplayskip</code>	686
<code>belowskip</code> (option)	7, 11
<code>\bfseries</code>	12, 16, 46, 144
bool commands:	
<code>\bool_gset_eq:NN</code>	1349, 1656
<code>\bool_gset_false:N</code>	
	456, 769, 1343, 1622, 1669
<code>\bool_gset_true:N</code>	440, 1667
<code>\bool_if:NTF</code>	298, 438, 453, 571, 579,
	590, 619, 647, 654, 727, 729, 752,
	788, 806, 831, 881, 929, 978, 980,
	1049, 1075, 1179, 1278, 1381, 1383,
	1516, 1549, 1616, 1744, 1756, 1789
<code>\bool_if:nTF</code>	732
<code>\bool_if_p:n</code>	
	1195, 1196, 1505, 1506, 1531, 1532
<code>\bool_lazy_all:nTF</code>	660
<code>\bool_lazy_and:nnTF</code>	1194
<code>\bool_lazy_any:nTF</code>	810
<code>\bool_lazy_or:nnTF</code>	
	360, 836, 865, 1504, 1530
<code>\bool_new:N</code>	314,
	315, 435, 636, 637, 1130, 1334, 1335
<code>\bool_not_p:n</code>	664
<code>\bool_set_false:N</code>	
	642, 646, 649, 650, 1199
<code>\bool_set_true:N</code>	643, 723, 756, 885,
	933, 1079, 1198, 1202, 1282, 1620, 1754
<code>\c_false_bool</code>	302
box commands:	
<code>\box_clear:N</code>	1225
<code>\box_ht:N</code>	518
<code>\box_ht_plus_dp:N</code>	1243
<code>\box_move_down:nn</code>	607, 1032, 1412
<code>\box_new:N</code>	387,
	505, 506, 1131, 1135, 1137, 1138, 1139
<code>\box_set_dp:Nn</code>	618, 1043, 1423
<code>\box_set_ht:Nn</code>	617, 1042, 1422
<code>\box_set_to_last:N</code>	1146, 1215
<code>\box_use:N</code>	
	433, 568, 612, 1037, 1046, 1417, 1501
<code>\box_use_drop:N</code>	
	1234, 1239, 1254, 1256, 1260
<code>\box_wd:N</code>	413, 428, 540, 1157, 1224
<code>\break</code>	365
C	
<code>center</code> (environment)	7, 62
<code>center/aboveskip</code> (option)	19
<code>center/belowskip</code> (option)	19
<code>center/leftmargin</code> (option)	19
<code>center/rightmargin</code> (option)	19
<code>\centering</code>	913
<code>\ch</code>	4, 6,
	12, 13, 20, 30, 53, 61, 773, 1087, 1623
<code>\ch*</code>	4

poetry	9, 63	\hbox_unpack_drop:N	1149, 1165, 1174
scripture	10, 62	\hfil	374, 1359
\everydisplay	40, 764	\hfill	367, 379, 425, 1364
exp commands:		hook commands:	
\exp_args:NnV	785	\hook_gc_clear_next_code:n	783, 862, 1470
\exp_args:NV	393, 441, 446, 536, 584, 659, 1524	\hook_gput_next_code:nn	327, 444, 459, 543, 548, 625, 734, 741, 808, 1053, 1270, 1345, 1347, 1443, 1468, 1472, 1655, 1668
\exp_not:n	172	\hook_new:n	1333
extraskip (option)	4, 13	\hook_new_pair:nn	312, 313
\extraskip	4, 13, 20, 630, 770, 1625, 1767	\hook_use:n	567, 569, 581, 589, 596, 597, 653, 677, 1045, 1047, 1500, 1502, 1520, 1528, 1538, 1539, 1596
F			
\finalhyphendemerits	382, 1367	hooks:	
flushright (environment)	8, 62	scripture/chap/after	10, 10, 10, 12, 29
flushright/aboveskip (option)	19	scripture/chap/before	10, 10, 12, 29
flushright/belowskip (option)	19	scripture/poetry/para/after	53
flushright/leftmargin (option)	19	scripture/verse/after	10, 18, 29
flushright/rightmargin (option)	19	scripture/verse/before	10, 10, 18, 29
font (option)	14	\hsize	1208
\fontsize	531	I	
G			
\glueexpr	350	\iflanguageloaded	477
\glueshrink	341	\ignorespaces	1699, 1705, 1711, 1717, 1723, 1735, 1759, 1760, 1761, 1762, 1763, 1764, 1786
\gluestretch	339	indent (option)	14, 15
\GOD	4, 779	inline (option)	7, 14, 14, 14, 14, 61, 64
\goodbreak	1255	inline/begin (option)	7, 14, 14, 64
group commands:		inline/end (option)	7, 14, 14, 64
\group_begin:	390, 566, 578, 582, 652, 656, 709, 716, 1044, 1171, 1372, 1499, 1515, 1521, 1546, 1570, 1598, 1771	inline/reference/format (option)	7, 14, 14, 65
\c_group_begin_token	1127	inline/reference/sep (option)	7, 14, 14, 65
\group_end:	404, 570, 587, 600, 668, 673, 678, 712, 719, 1048, 1177, 1377, 1503, 1526, 1542, 1566, 1575, 1605, 1776	inline/version/delim (option)	7, 14, 14, 65
H			
hanging (environment)	8, 62	inline/version/format (option)	7, 14, 14, 65
hanging/aboveskip (option)	19	int commands:	
hanging/belowskip (option)	19	\int_compare:nNnTF	346, 420, 546, 629, 860, 910, 958, 1108, 1227, 1295, 1317, 1445, 1646
hanging/hang (option)	5, 5, 19	\int_gset_eq:NN	545, 742, 1269
hanging/leftmargin (option)	20	\int_gzero:N	354, 631, 736, 737, 763, 912, 960, 1110, 1272, 1297, 1319, 1648
hanging/rightmargin (option)	20	\int_new:N	316, 510, 1134, 1136, 1339
hbox commands:		\int_set:Nn	696, 765, 767, 854, 1247, 1611
\hbox:n	377, 870, 1362	\int_set_eq:NN	541, 549, 766, 768, 1143, 1166, 1587
\hbox_overlap_left:n	610, 1035, 1061, 1415, 1518, 1551, 1557	\int_use:N	696, 1611
\hbox_overlap_right:n	1559	\int_zero:N	382, 1265, 1367
\hbox_set:Nn	408, 516, 528, 605, 1030, 1147, 1216, 1410	\c_zero_int	860
\hbox_to_wd:nn	1071	\item	825, 914, 962, 1111, 1320, 1651
\hbox_unpack:N	1218		

<code>\itemindent</code>	29, 792, 798, 894, 901, 942, 949, 1092, 1099, 1291, 1304, 1308, 1630, 1637		
<code>\itshape</code>	16, 161		
K			
<code>\kern</code>	669, 674		
keys commands:			
<code>\l_keys_choice_tl</code>	134		
<code>\keys_define:nn</code>	23, 307		
<code>\keys_set:nn</code>	760, 889, 937, 1083, 1190, 1286, 1675, 1730		
L			
<code>\labelsep</code>	898, 946, 1096, 1298, 1634		
<code>language</code> (option)	15, 15, 23, 64		
<code>language/variant</code> (option)	15, 64		
<code>leftmargin</code> (option)	15		
<code>\leftmargin</code> 796, 899, 947, 990, 994, 1001, 1006, 1011, 1016, 1097, 1299, 1635			
<code>\leftskip</code>	1162, 1173, 1204		
legacy commands:			
<code>\legacy_if:nTF</code>	321, 627, 641, 791, 817, 893, 941, 1091, 1290, 1629		
<code>\legacy_if_set_false:n</code>	924, 972, 1121, 1330, 1665		
<code>\linewidth</code>	16, 148, 415, 430, 559, 563, 565, 633, 701, 863, 919, 967, 1006, 1016, 1019, 1054, 1162, 1208, 1273, 1433, 1437, 1463, 1467, 1490, 1494, 1591, 1595		
<code>\list</code>	794, 896, 944, 1094, 1293, 1632		
<code>\listparindent</code>	799, 902, 950, 1100, 1301, 1572, 1574, 1638		
<code>\LORD</code>	4, 778		
M			
<code>\medskipamount</code> 13, 19, 21, 72, 214, 217, 226, 229, 238, 241, 258, 261, 270, 273			
<code>midparachap</code> (environment)	9, 62		
<code>midparachap/hideverse</code> (option)	13, 13, 20, 20		
<code>midparachap/showverse</code> (option) .	13, 20, 20		
mode commands:			
<code>\mode_if_inner:TF</code>	1236		
<code>\mode_if_vertical:TF</code>	644, 1058, 1302, 1392, 1579		
<code>\mode_leave_vertical:</code>	645, 1395, 1784		
msg commands:			
<code>\msg_error:nn</code>	754, 883, 931, 1077, 1280, 1618		
<code>\msg_error:nnn</code>	169, 490		
<code>\msg_new:nnnn</code>	6, 10, 14, 18		
<code>\msg_warning:nnn</code>	497		
N			
<code>\name</code>	4, 15, 777, 778, 779		
<code>name/font</code> (option)	4, 15, 64		
<code>name/format</code> (option)	4, 15, 64		
<code>narrow</code> (environment)	9, 62		
<code>narrow/aboveskip</code> (option)	21		
<code>narrow/belowskip</code> (option)	21		
<code>narrow/leftmargin</code> (option)	21		
<code>narrow/rightmargin</code> (option)	21		
<code>\NeedsTeXFormat</code>	3		
<code>\NewDocumentCommand</code>	1673, 1677, 1681		
<code>\NewDocumentEnvironment</code>	1693		
<code>\nobreak</code>	378, 1363		
<code>\nofirstverse</code>	5, 64, 780		
<code>\nohang</code>	5, 1089, 1768		
<code>noindent</code> (option)	14, 15		
<code>\noindent</code>	29, 323, 329, 554, 751, 818, 864, 877, 1070, 1172, 1230, 1238, 1253, 1259, 1267, 1582		
<code>\nointerlineskip</code>	1154, 1226		
<code>\noversefirst</code>	17		
O			
<code>\obeylines</code>	3		
options:			
<code>aboveskip</code>	7, 11, 43, 44, 47, 52		
<code>added/font</code>	3, 11, 64		
<code>added/format</code>	3, 11, 64		
<code>belowskip</code>	7, 11		
<code>center/aboveskip</code>	19		
<code>center/belowskip</code>	19		
<code>center/leftmargin</code>	19		
<code>center/rightmargin</code>	19		
<code>chap/font</code>	10		
<code>chap/sep</code>	10		
<code>chapter/color</code>	12, 12		
<code>chapter/colour</code>	12, 12, 64		
<code>chapter/drop</code>	12, 12		
<code>chapter/font</code>	12		
<code>chapter/format</code>	12, 64		
<code>chapter/hide</code>	12, 13, 64		
<code>chapter/nodrop</code>	12, 12, 13		
<code>chapter/sep</code>	12		
<code>chapter/show</code>	12, 13, 64		
<code>chapter/showverse</code> ..	13, 13, 20, 20, 64		
<code>color</code>	13, 13		
<code>colour</code>	13, 13, 64		
<code>compact</code>	7, 13, 14, 64		
<code>dropchap</code>	4		
<code>extraskip</code>	4, 13		
<code>flushright/aboveskip</code>	19		
<code>flushright/belowskip</code>	19		
<code>flushright/leftmargin</code>	19		
<code>flushright/rightmargin</code>	19		

`\predisplaysize` 688, 691, 695
`\prevdepth` 48, 1214, 1264
`\prevgraf` 49, 545,
696, 742, 860, 1228, 1265, 1587, 1611
`\ProcessKeyOptions` 295
`\ProvidesExplPackage` 4

R

`\raggedleft` 961
`\raggedright` 1649
`redletter` (option) 5, 15, 16, 64
`redletter/color` (option) 16, 16
`redletter/colour` (option) ... 5, 16, 16, 64
`\redletteroff` 5, 15, 16, 772
`\redletteron` 5, 15, 16, 771
`reference/align` (option) 16, 64
`reference/color` (option) 16, 16
`reference/colour` (option) 16, 16, 64
`reference/delim` (option) 64
`reference/font` (option) 16
`reference/format` (option) 16
`reference/newline` (option) 16, 64
`reference/sep` (option) 16, 16
`\relax` 7, 13, 14, 826, 915,
963, 1112, 1321, 1652, 1766, 1767, 1768
`\renewcommand*` 6
`\RenewDocumentEnvironment`
.. 1759, 1760, 1761, 1762, 1763, 1764
`rightmargin` (option) 16
`\rightmargin` 797, 900, 948, 1098, 1300, 1636
`\rightskip` 1162, 1205

S

`scripture` (environment) 10, 62
`scripture` internal commands:
`\l__scripture_aboveskip_tl`
..... 25, 802, 804, 1746
`\l__scripture_active_bool`
..... 314, 752, 756
`\l__scripture_active_inner_bool` .
..... 314, 881, 885, 929,
933, 1075, 1079, 1278, 1282, 1616, 1620
`__scripture_added:n` .. 707, 707, 776
`\l__scripture_added_font_tl` . 28, 710
`__scripture_added_format:n` . 31, 711
`__scripture_begin:n` . 749, 749, 1695
`\l__scripture_belowskip_tl`
..... 34, 857, 859, 1747
`__scripture_calc_final_line_-
length:`
..... 681, 681, 855, 1116, 1325, 1660
`\l__scripture_center_aboveskip_-
tl` 212, 905, 907

`__scripture_center_begin:n`
..... 879, 879, 1698
`\l__scripture_center_belowskip_-
tl` 215, 920, 922
`__scripture_center_end:`
..... 917, 917, 1701
`\l__scripture_center_leftmargin_-
tl` 218, 899
`\l__scripture_center_rightmargin_-
tl` 221, 900
`__scripture_ch:nn` 725
`__scripture_ch_output:nn` .. 725, 774
`__scripture_chap:n` ... 602, 602, 731
`\l__scripture_chap_box`
505, 568, 605, 617, 618, 1030, 1042,
1043, 1046, 1410, 1422, 1423, 1501
`\l__scripture_chap_drop_bool` ...
..... 51, 59, 729, 980, 1196, 1383
`\l__scripture_chap_font_tl`
..... 44, 530, 585, 1522
`\l__scripture_chap_fontsize_dim` .
..... 507, 521, 532, 533
`__scripture_chap_format:n`
..... 54, 537, 586, 1525
`\l__scripture_chap_height_dim` ...
..... 508, 519, 525
`\g__scripture_chap_par_prevgraf_-
int` 347, 354, 420, 510, 545,
546, 629, 631, 736, 763, 910, 912,
958, 960, 1108, 1110, 1269, 1272,
1295, 1297, 1317, 1319, 1646, 1648
`\l__scripture_chap_sep_tl`
. 61, 557, 559, 561, 563, 588, 613,
992, 1002, 1007, 1012, 1017, 1021,
1025, 1038, 1159, 1231, 1232, 1398,
1400, 1448, 1455, 1475, 1482, 1527
`\l__scripture_chap_show_bool` ...
..... 57, 64, 579, 727, 978, 1381, 1516
`\l__scripture_chap_show_verse_-
bool` 67,
571, 590, 1049, 1195, 1199, 1505, 1531
`\l__scripture_chap_tmp_box` . 506,
516, 518, 528, 540, 612, 1037, 1417
`l__scripture_chap_tmp_box` 505
`\l__scripture_chap_width_dim` ...
..... 509, 539, 557, 559, 561,
563, 990, 994, 1001, 1006, 1011,
1016, 1158, 1231, 1232, 1400, 1407,
1426, 1439, 1448, 1455, 1475, 1482
`\l__scripture_chap_X_height_dim` .
..... 511, 517, 520, 526
`\l__scripture_chapter_colour_tl` .
... 47, 535, 536, 583, 584, 1523, 1524

<code>\l_scripture_clubpenalty_saved_int</code>	316 , 541 , 549	<code>\l_scripture_hanging_rightmargin_tl</code>	248 , 1098
<code>\l_scripture_colour_tl</code>	37 , 785 , 786	<code>_scripture_hanging_verse:n</code>	1056 , 1056 , 1088
<code>\l_scripture_compact_bool</code>	41 , 1754 , 1756 , 1789	<code>\l_scripture_indent_bool</code> 76 , 115 , 806	
<code>\l_scripture_currenvir_str</code>	361 , 362 , 442 , 444 , 457 , 459 , 664 , 705 , 757 , 812 , 813 , 814 , 886 , 934 , 1080 , 1187 , 1283 , 1621	<code>\l_scripture_inline_begin_tl</code> 82 , 789	
<code>_scripture_drop_chap_output:</code>	552 , 552 , 623 , 1164 , 1178	<code>\l_scripture_inline_bool</code>	79 , 788 , 831 , 1744
<code>_scripture_drop_chap_set_up:n</code>	512 , 512 , 604 , 988 , 1391	<code>\l_scripture_inline_end_tl</code> . 85 , 835	
<code>_scripture_end:n</code>	829 , 829 , 1791	<code>_scripture_inline_ref_format:n</code>	88 , 1750
<code>_scripture_extra_skip:</code> 344 , 344 , 770		<code>\l_scripture_inline_ref_sep_tl</code>	91 , 1751
<code>\l_scripture_extraskip_tl</code>	70 , 350 , 356 , 1342	<code>\l_scripture_inline_version_delim_tl</code>	94 , 1753
<code>\g_scripture_final_line_dim</code>	413 , 428 , 431 , 680 , 690 , 700 , 701 , 702 , 856 , 919 , 967 , 1223 , 1232 , 1268	<code>_scripture_inline_version_format:n</code>	97 , 1752
<code>\l_scripture_flushright_abelovekip_tl</code>	224 , 953 , 955	<code>\l_scripture_language_tl</code>	100 , 468 , 472 , 477 , 481 , 486 , 493 , 500
<code>_scripture_flushright_begin:n</code>	927 , 927 , 1704	<code>\l_scripture_language_variant_tl</code>	103 , 479 , 485
<code>\l_scripture_flushright_belowskip_tl</code>	227 , 968 , 970	<code>\l_scripture_leftmargin_tl</code>	106 , 796 , 1748
<code>_scripture_flushright_end:</code>	965 , 965 , 1707	<code>_scripture_mid_para_chap_begin:n</code>	1185 , 1185 , 1716
<code>\l_scripture_flushright_leftmargin_tl</code>	230 , 947	<code>\l_scripture_mid_para_chap_bool</code>	619 , 1130 , 1202
<code>\l_scripture_flushright_rightmargin_tl</code>	233 , 948	<code>\l_scripture_mid_para_chap_box</code>	1137 , 1203 , 1239 , 1243 , 1249 , 1256 , 1260
<code>\l_scripture_font_tl</code>	73 , 784	<code>_scripture_mid_para_chap_end:</code>	1211 , 1211 , 1719
<code>_scripture_format_full_ref:n</code>	388 , 388 , 410 , 843 , 848	<code>\l_scripture_mid_para_chap_line_box</code>	1131 , 1146 , 1149 , 1215 , 1218 , 1234
<code>\l_scripture_hanging_abelovekip_tl</code>	236 , 1103 , 1105	<code>\g_scripture_mid_para_chap_prevdepth_dim</code>	1132 , 1214 , 1264
<code>_scripture_hanging_begin:n</code>	1073 , 1073 , 1710	<code>\g_scripture_mid_para_chap_prevgraf_int</code>	737 , 742 , 1134 , 1269
<code>\l_scripture_hanging_belowskip_tl</code>	239 , 1117 , 1119	<code>\l_scripture_mid_para_chap_snap_box</code>	1135 , 1147 , 1157 , 1165 , 1174 , 1216 , 1224 , 1225
<code>_scripture_hanging_ch:n</code>	976 , 976 , 1087	<code>\l_scripture_mid_para_chap_spacefactor_int</code>	1136 , 1143 , 1166
<code>_scripture_hanging_chap:n</code>	981 , 986 , 986	<code>\l_scripture_mid_para_chap_split_box</code>	1137 , 1249 , 1252
<code>_scripture_hanging_end:</code>	1114 , 1114 , 1713	<code>\l_scripture_mid_para_chap_split_top_box</code>	1137 , 1251 , 1254
<code>\l_scripture_hanging_hang_tl</code>	242 , 1097 , 1099 , 1100 , 1106	<code>\l_scripture_mid_para_chap_totalleftmargin_dim</code>	1133 , 1206 , 1224
<code>\l_scripture_hanging_leftmargin_tl</code>	245 , 1097	<code>_scripture_mid_para_drop_chap_output:</code>	620 , 1140 , 1140
<code>\l_scripture_hanging_parindent_saved_dim</code>	975 , 1025 , 1071 , 1090		

`\l__scripture_midparachap_show_verse_bool` 251, 253, 1179, 1198, 1351, 1656
`_scripture_name:n` ... 714, 714, 777
`\l__scripture_name_font_tl` . 109, 717
`__scripture_name_format:n` . 112, 718
`\l__scripture_narrow_aboveskip_tl` 256, 1313, 1315
`__scripture_narrow_begin:n` 1276, 1276, 1722
`\l__scripture_narrow_belowskip_tl` 259, 1326, 1328
`__scripture_narrow_end:` 1323, 1323, 1725
`\l__scripture_narrow_leftmargin_tl` 262, 1299
`\l__scripture_narrow_rightmargin_tl` 265, 1300
`__scripture_no_first_verse:` ... 721, 721, 780
`\l__scripture_no_verse_first_bool` 637, 647, 650, 723
`__scripture_nodrop_chap:n` 574, 574, 745, 747, 982, 984
`__scripture_nohang:` 1029, 1068, 1068, 1089
`__scripture_noindent_saved:` 751, 877
`__scripture_obeylines:` 56, 63, 1598, 1600, 1740
`__scripture_obeylines_end:` ... 1603, 1606
`\l__scripture_outer_itemindent_dim` 318, 792, 793, 798, 894, 895, 901, 942, 943, 949, 1092, 1093, 1099, 1291, 1292, 1304, 1308, 1630, 1631, 1637
`\l__scripture_parindent_tl` 117, 798, 799, 805, 824
`\l__scripture_parskip_correction_skip` 706
`\l__scripture_parskip_tl` ... 120, 801
`\l__scripture_poetry_aboveskip_tl` 268, 1641, 1643
`__scripture_poetry_begin:` 1614, 1614, 1734
`\l__scripture_poetry_belowskip_tl` 271, 1661, 1663
`\l__scripture_poetry_big_indent_tl` 274, 1435, 1437, 1465, 1467, 1492, 1494, 1593, 1595
`__scripture_poetry_ch:n` 1379, 1379, 1623
`__scripture_poetry_chap:n` 1384, 1389, 1389
`\l__scripture_poetry_chap_indent_dim` 1336, 1394, 1397, 1402, 1406, 1427
`\l__scripture_poetry_chap_parshape_correction_dim` 1338, 1424, 1431, 1433, 1451, 1453, 1461, 1463, 1478, 1480, 1488, 1490
`\l__scripture_poetry_chap_sep_dim` 1336, 1398, 1404, 1418, 1426, 1439
`__scripture_poetry_end:` 1658, 1658, 1737
`\g__scripture_poetry_end_bool` ... 769, 1334, 1667, 1669
`__scripture_poetry_extra_skip:` ... 1340, 1340, 1625
`\l__scripture_poetry_indent_tl` ... 277, 1394, 1450, 1456, 1637, 1638, 1644, 1650
`\l__scripture_poetry_leftmargin_tl` . 280, 1402, 1406, 1427, 1441, 1450, 1456, 1477, 1483, 1563, 1635
`\g__scripture_poetry_midparachap_show_verse_bool` 1335, 1343, 1350, 1506, 1532, 1622, 1656
`__scripture_poetry_mode_horizontal_verse:n` ... 1568, 1585
`__scripture_poetry_mode_vertical_verse:n` 1544, 1544, 1573, 1581, 1624
`__scripture_poetry_nodrop_chap:n` 1385, 1387, 1511, 1511
`__scripture_poetry_par:` 56, 1577, 1577, 1654
`\l__scripture_poetry_prevgraf_int` 1339, 1445, 1587, 1611
`\l__scripture_poetry_rightmargin_tl` 283, 1636
`__scripture_poetry_text_right:mn` ... 1355, 1355, 1374, 1628
`\l__scripture_poetry_verse_right_bool` 286, 288, 1549
`\l__scripture_poetry_verse_sep_tl` 291, 1547, 1571
`\g__scripture_prev_inner_below_skip` 317, 861, 923, 971, 1120, 1329, 1664
`\g__scripture_red_letter_active_bool` 435, 440, 456
`\l__scripture_red_letter_bool` ... 123, 438, 453
`\l__scripture_red_letter_colour_tl` 126, 441, 446
`__scripture_red_letter_off:` ... 451, 451, 772, 834, 852

<code>__scripture_red_letter_on:</code>	<code>__scripture_verse_output:n</code>
. 436 , 436 , 771 572 , 592 ,
<code>\l_scripture_ref_align_tl</code>	638 , 638 , 775 , 1051 , 1063 , 1066 ,
. 132 , 133 , 134 , 418 , 424	1168 , 1181 , 1508 , 1534 , 1553 , 1561
<code>\l_scripture_ref_box</code>	<code>\l_scripture_verse_par_start_</code>
. 387 , 408 , 413 , 428 , 433	bool . . . 636 , 642 , 643 , 646 , 649 , 663
<code>\l_scripture_ref_colour_tl</code>	<code>\l_scripture_verse_sep_tl</code>
. 138 , 392 , 393 197 , 674 , 1547 , 1571
<code>\l_scripture_ref_font_tl</code> . . 142 , 391	<code>\l_scripture_verse_show_bool</code> . . .
<code>__scripture_ref_format:n</code> 195 , 200 , 654
. 145 , 394 , 1750	<code>\l_scripture_version_delim_tl</code> . .
<code>\l_scripture_ref_sep_tl</code> 206 , 400 , 1753
. . . 150 , 413 , 428 , 431 , 842 , 847 , 1751	<code>__scripture_version_format:n</code> . . .
<code>__scripture_reference:n</code> 209 , 401 , 1752
. 406 , 406 , 871 , 873	<code>\l_scripture_version_tl</code>
<code>\scripture_reset_spacing:</code> 693 , 699 203 , 397 , 401 , 840 , 869
<code>\l_scripture_rightmargin_tl</code> . . .	<code>scripture/chap/after</code> (hook)
. 153 , 797 , 1749 10 , 10 , 10 , 12 , 29
<code>\l_scripture_selah_font_tl</code>	<code>scripture/chap/before</code> (hook)
. 159 , 1373 , 1772 10 , 10 , 12 , 29
<code>__scripture_selah_format:n</code>	<code>scripture/poetry/para/after</code> (hook) . . 53
. 162 , 1376 , 1774	<code>scripture/verse/after</code> (hook) . . 10 , 18 , 29
<code>__scripture_selah_output:</code>	<code>scripture/verse/before</code> (hook)
. 1370 , 1370 , 1626 10 , 10 , 18 , 29
<code>\l_scripture_selah_sep_tl</code> 165 , 1375	<code>\scripturecurrentcapter</code> 6
<code>\l_scripture_selah_text_tl</code>	<code>\scripturecurrentchapter</code>
. 156 , 1376 , 1774 6 , 29 , 64 , 514 , 576 , 1513 , 1671
<code>\scripture_select_language:</code>	<code>\scripturecurrentverse</code>
. 466 , 466 , 762	. . . 6 , 29 , 64 , 515 , 577 , 640 , 1514 , 1671
<code>__scripture_setup_list_noindent:n</code>	<code>\scripturesetup</code> . . 6 , 11 , 18–21 , 1673 , 1758
. 319 , 319 ,	<code>\scripturestyle</code> 6 , 17 , 65 , 21 , 1677
805 , 908 , 956 , 1106 , 1305 , 1309 , 1644	<code>\scripturestyle*</code> 6
<code>__scripture_setup_style:nmn</code> . . .	<code>\scshape</code> 15 , 111
. 296 , 296 , 302 , 311 , 1679	<code>\selah</code> 6 , 16 , 17 , 64 , 1626 , 1769
<code>__scripture_skip_diff:NN</code>	<code>selah/font</code> (option) 6 , 16
. 333 , 333 , 804 , 859 , 907 , 922 , 955 ,	<code>selah/format</code> (option) 6 , 16
970 , 1105 , 1119 , 1315 , 1328 , 1643 , 1663	<code>selah/sep</code> (option) 6 , 16
<code>__scripture_text_right:nm</code>	<code>selah/text</code> (option) 6 , 16 , 17
. 358 , 358 , 782	<code>\selectfont</code> 534
<code>\l_scripture_text_right_sep_tl</code> . .	<code>\selectlanguage</code> 15 , 472 , 481 , 484
. 173 , 782 , 1628	skip commands:
<code>\scripture_tmp_para_end:</code> 1586 , 1653	<code>\skip_eval:n</code> 335
<code>__scripture_vbox_set_top:Nw</code> . . .	<code>\skip_gset_eq:NN</code>
. 1124 , 1124 , 1203 923 , 971 , 1120 , 1329 , 1664
<code>\l_scripture_verse_colour_tl</code> . . .	<code>\skip_horizontal:N</code> . 588 , 613 , 842 ,
. 176 , 658 , 659	847 , 1038 , 1268 , 1418 , 1527 , 1563 , 1574
<code>\l_scripture_verse_first_bool</code> . .	<code>\skip_horizontal:n</code>
. 180 , 662 325 , 376 , 431 , 1173 , 1231 , 1361 , 1572
<code>__scripture_verse_first_</code>	<code>\skip_new:N</code> 317 , 706
format:n 183 , 667	<code>\skip_set:Nn</code>
<code>\l_scripture_verse_first_sep_tl</code> 683 , 804 , 859 , 907 , 922 , 955 ,
. 186 , 669	970 , 1105 , 1119 , 1315 , 1328 , 1643 , 1663
<code>\l_scripture_verse_font_tl</code> 189 , 657	<code>\skip_set_eq:NN</code>
<code>__scripture_verse_format:n</code> 192 , 672 684 , 801 , 903 , 951 , 1101 , 1311

